

所在地 東京都新宿区神楽坂五丁目30-2付近

標尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔内水位 / 測定月日	標準貫入試験					N 値
							深 度	10 cm ごと の打撃回数			打撃回数 / 貫入量	
								0	10	20		
						3/27	10	20	30			
1				盛土	茶褐灰 黒褐	3/27 3.50	1.15	1 / 18	1 / 17	2 / 35	1.7	
2	2.70	2.70					1.50					
3				凝灰質粘土	黄褐灰		2.15	1 / 35		1 / 35	0.9	
4	3.80	1.10					2.50					
5				粘土	淡黄褐灰		3.15	1 / 20	1 / 15	2 / 35	1.7	
6							3.50					
7	5.05	1.25					4.15	1 / 16	1 / 13	3 / 39	2.3	
8				中砂	黄褐灰 褐灰		4.54					
9							5.15	2 / 11	2 / 9	3 / 12	7 / 32	
10	9.65	4.60					5.47					
11				粘土混じり砂	褐灰		6.15	3 / 11	2 / 9		9 / 30	
12	10.60	0.95					6.45					
13				砂混じり粘土	黄褐灰 褐灰		7.15		3 / 11		9 / 31	
14	11.40	0.80					7.46	3 / 11	4 / 11	3 / 9	10 / 31	
15				砂混じりシルト	暗灰		8.15	3 / 11	4 / 11	3 / 9	10 / 31	
16	12.00	0.60					8.46					
17				シルト混じり砂	暗灰		9.15	4 / 13	3 / 8		10 / 31	
18	14.55	2.55					9.46					
19				砂混じりシルト	暗灰		10.15				19 / 30	
20	15.00	0.45					10.45	6 / 15	6 / 6	7 / 2	5 / 31	
21				粘土	青灰 淡黒褐 暗青灰		11.15	2 / 15	1 / 6			
22	16.35	1.35				11.46						
23				シルト	暗灰	12.15	3 / 12	3 / 11	6 / 7	12 / 30		
24	16.85	0.50				12.45						
25						13.15	3 / 11	3 / 11	5 / 8	11 / 30		
26						13.45						
27	17.45					14.15		3 / 11	4 / 9	10 / 30		
28						14.45	3 / 11	3 / 11	5 / 8	11 / 30		
29	18.15					15.15	3 / 11	3 / 11	5 / 8	11 / 30		
30						15.45						
31	18.45					16.15	3 / 11	2 / 9		8 / 30		
32						16.45						
33	19.15					17.15	8 / 11	9 / 12		29 / 30		
34						17.45						
35	18.15					18.15	9 / 11	11 / 14		34 / 30		
36						18.45						
37	19.15					19.15	11 / 11	13 / 15		39 / 30		
38						19.45						
39	20.15					20.15	18 / 18	23 / 23	9 / 3	50 / 23		
40						20.38						
41	21.15					21.15	19 / 19			50 / 19		

