

所在地 東京都新宿区原町一丁目38-4 付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔内水位／測定月日	10cmごとの打撃回数				打撃回数／貫入量	N 値	標準貫入試験					
							深 度	0 回	10 回	20 回			N 値～深度図					
							度	10	20	30								
	0.50	0.50		埋土	黒褐	7.30 ≡												
1				ローム	茶褐		1.15				5 / 30							
2			1.45							1	2	2	6 / 30					
3			2.15							2	2	2	5 / 30					
4			2.45										6 / 30					
5			3.00							1	2	2	5 / 30					
6			3.30										5 / 30					
7			4.15							1	2	2	5 / 30					
8			4.45										3 / 30					
9	4.90	4.40		粘土	茶褐		5.15				1	1	1	6 / 30				
10			5.45							2	2	2	7 / 30					
11	5.80	0.90		砂混じり粘土	暗黄灰		6.15											
12			6.45							2	2	2	10 / 30					
13			7.15							2	2	3	12 / 30					
14			7.45										15 / 30					
15	8.00	2.20		礫混じり砂	暗黄褐		8.15				3	3	4	50 / 19				
16			8.45							4	4	4	50 / 14					
17			9.15										50 / 10					
18			9.45							5	5	5	107 / 13					
19	10.90	2.90		細砂	暗黄灰		10.15				28 / 9	50 / 13						
20			10.45						22			50 / 15						
21			11.15									100 / 12						
22			11.34									125 / 10						
23			12.15						31			115 / 13						
24			12.29									115 / 13						
25			13.15						50			115 / 13						
26			13.25									115 / 13						
27			14.15				27			115 / 13								
28			14.30							115 / 13								
29			15.15							115 / 13								
30			15.27				40			115 / 13								
31	16.28	5.38					16.15			115 / 13								
32							16.28			115 / 13								