

所在地 東京都新宿区改代町3 5 付近

標	深	層	柱	土	色	孔内水位 / 測定月日	標準貫入試験				N	N値 - 深度図	
							深	10 cmごとの打撃回数					打撃回数 / 貫入量
								0	10	20			
尺	度	厚	状	質	調		度	10	20	30		値	
1				埋土		1.40	1.15				5 / 30	5	
2	1.70	1.70		シルト質粘土	暗茶褐		1.45				3 / 34	2.6	
3	2.30	0.60		粘土	暗灰		2.15			1 / 14	1 / 35	0.9	
4	2.90	0.60		シルト	暗灰		2.49	1	1		1 / 45	0.7	
5	5.20	2.30		砂礫	暗灰		3.15	0 / 15	1 / 20		22 / 30	22	
6	5.80	0.60		砂質シルト	暗灰		3.50				26 / 30	26	
7	6.70	0.90		砂礫	暗黄灰		4.15	0 / 20	1 / 25		50 / 16	93.8	
8				砂礫	暗黄灰		4.60				50 / 9	167	
9				微細砂	暗黄灰 暗灰 暗黄灰		5.15				50 / 8	188	
10	10.55	3.85		シルト混じり細砂	暗黄灰		5.45	5	6	11	50 / 9	167	
11	13.20	2.65		シルト質細砂	暗灰		6.15				50 / 12	125	
12	13.85	0.65		微細砂	暗緑灰		6.45	9	8	9	50 / 9	167	
13	14.65	0.80					7.15				50 / 8	188	
14	15.24	0.59					7.31				50 / 7	214	
15							8.15				50 / 9	167	
							8.24						
							9.15						
							9.23						
							10.15						
							10.24						
							11.15						
							11.27						
							12.15						
							12.24						
							13.15						
							13.23						
							14.15						
							14.22						
							15.15						
							15.24						