

所在地 東京都新宿区荒木町2-18付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔内水位／測定月日	10cmごとの打撃回数				N 値	標準貫入試験 N値～深度図
							深 度	打撃回数／貫入量				
								0 ～ 10	10 ～ 20	20 ～ 30		
1			埋土	暗茶灰	3.10	1.15			5 / 30	5		
2	2.60	2.60				2	2	1	4 / 30	4		
3						2	1	1	7 / 30	7		
4			ローム	茶灰	3.15			8 / 30	8			
5					3.45		2	3	2	10 / 30		10
6					4.15		2	3	3	8 / 30		8
7					4.45					7 / 30		7
8					5.15		3	3	4	11 / 30		11
9					5.45					50 / 30		50
10	6.70	4.10	粘土	乳灰	6.15			50 / 20	75			
11					6.45		2	3	3	62.5		
12					7.15		2	2	3	60		
13					7.45					71.4		
14	8.50	1.80	凝灰質粘土	暗茶灰	8.15			50 / 21	83.3			
15					8.45		2	3	3	75		
16					9.15		3	4	3	75		
17					9.45					75		
18	11.10	2.60	細砂	茶灰	10.15			50 / 25	75			
19					10.45		3	4	4	75		
20					11.15		8	18	24	75		
21					11.45					75		
22					12.15		24	26		75		
23					12.35					75		
24					13.15		17	21	4	75		
25					13.39					75		
26					14.15		17	20	5	75		
27					14.40					75		
28	17.35	6.25			15.15			3 / 1	75			
29					15.36		21	26	1	75		
30					16.15					75		
31					16.33			22 / 8	75			
32					17.15			50 / 20	75			
33					17.35			22	28	75		