

所在地 東京都新宿区築地町 6 - 6 付近

標	深	層	柱	土	色	孔内水位 / 測定月日	標準貫入試験					N	N値 - 深度図
							深	10cmごとの打撃回数			打撃回数 / 貫入量		
								0	10	20			
尺	度	厚	図	質	調		度	10	20	30		値	
	0.80	0.80		盛土	暗茶褐灰 暗褐	3.27 						0	
1				ローム	暗褐		1.15				5 / 30	5	
2							1.45	1	2	2			
3							3.15				4 / 30	4	
4	3.75	2.95		粘土	黄褐		3.45	1	1	2			
5	4.85	1.10					4.15				7 / 30	7	
6				シルト	暗灰		4.45	2	2	3			
7	5.90	1.05		砂質シルト	暗灰		5.15	2	3	4			
8	6.50	0.60		シルト質細砂	暗灰		5.45				9 / 30	9	
9	7.43	0.93		細砂	暗青灰		6.15				23 / 30	23	
10	8.90	1.47					6.45	3	10	10			
11							7.15				28 / 30	28	
12							7.45	7	10	11			
13	13.26	4.36		砂礫			8.15	27	23 / 5		50 / 15	100	
						8.30							
						9.15	44	6 / 1		50 / 11	136		
						9.26							
						10.15	50 / 6			50 / 6	250		
						10.21							
						11.15	50 / 8			50 / 8	188		
						11.23							
						12.15	50 / 5			50 / 5	300		
						12.20							
						13.15	35	15 / 1		50 / 11	136		
						13.26							