

所在地 東京都新宿区早稲田鶴巻町543付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔 内 水 位 / 測 定 月 日	標準貫入試験					N 値	N 値 ~ 深度 図
							深 度	10 cm ごとの打撃回数			打撃回数 / 貫入量		
								0 ~ 10	10 ~ 20	20 ~ 30			
0.80	0.80			盛土	暗茶褐 暗灰								
1.15				粘土	暗灰 淡青灰		0 / 6	1 / 25	1 / 31	1.0			
1.46													
2.15						1 / 15	1 / 8	2 / 11	4 / 34	3.5			
2.60	1.80			砂礫	暗緑青灰 褐灰								
2.49													
3.15								11 / 7	50 / 27	55.6			
3.42						21	18						
4.15						4.15		35 / 3	50 / 13	115			
4.28													
5.15						5.15		50 / 4	50 / 4	375			
5.19													
6.15						6.15		50 / 8	50 / 8	188			
6.23													
7.15						15 / 4	50 / 14	107					
7.29													
7.80	5.20			粘土混じり砂	暗青灰								
8.00						8.00		50 / 5	50 / 5	300			
8.05													
9.15						50 / 8	50 / 8	188					
9.23													
9.65	1.85			粗砂	暗緑青灰								
10.15						10.15		16 / 3	50 / 13	115			
10.28													
11.15													
11.27	1.62					11.27		38	12 / 2	50 / 12	125		