

所在地 東京都新宿区余丁町12-3付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔 内 水 位 / 測 定 月 日	標準貫入試験				N 値	N 値 ~ 深度 図	
							深 度	10 cm ごとの打撃数					打撃回数 / 貫入量
								0 ~ 10	10 ~ 20	20 ~ 30			
1				埋土	暗褐 暗茶褐	9/11 5.80	1.15			1 / 40	0.8		
2					茶褐		1.55				1.5		
3	3.10	3.10		目表土	黒褐		2.15	1 / 25	1 / 15	2 / 40	1.0		
4	3.70	0.60					3.15	1 / 30		1 / 30	1.0		
5				有機質ローム	暗茶褐		3.45				3.0		
6	6.10	2.40					4.15			3 / 30	1.0		
7							4.45	1	1	1 / 30	0.9		
8				凝灰質粘土	黄茶褐 乳灰 黄乳灰		5.15	1 / 30		1 / 30	0.8		
9							5.45				1.3		
10	9.80	3.70					6.15	1 / 35		1 / 35	2.0		
11	10.50	0.70		砂混じり粘土	黄褐		6.50				4.0		
12				粘土混じり中砂	黄茶褐 暗緑褐		7.15	1 / 40		1 / 40	8.0		
13							7.55				4.0		
14	13.90	3.40					8.15	1 / 25	1 / 20	2 / 45	21.0		
15	15.60	1.70		シルト混じり細砂	暗灰		8.60				4.0		
16	16.25	0.65		細砂	暗灰		9.15	1 / 15	1 / 15	2 / 30	14.0		
17							9.45				38.0		
18				微細砂	暗灰		10.15	1 / 20	3	4 / 30	60.0		
19	19.60	3.35		貝殻混じり細砂	暗灰		10.45			8 / 30	45.0		
20	20.75	1.15					11.15	2	3	3 / 30	28.0		
21							11.45						

