

所在地 東京都新宿区大久保二丁目31-17付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔内水位／測定月日	標準貫入試験					N 値	N 値～深度図
							深 度	10 cm ごとの打撃回数			打撃回数／貫入量		
								0 〃	10 〃	20 〃			
1	0.70	0.70		盛土	暗褐	3.00	1.15				7 / 30	7	
2				ローム	茶褐		1.45				2 / 30	1.7	
3	3.40	2.70		火山灰質粘土	黄褐		2.15	1 / 20	1 / 15		2 / 35	2	
4				火山灰質粘土	黄褐		2.50						
5	5.15	1.75		有機質粘土	暗茶		3.15	1 / 17	1 / 13		2 / 30	2.4	
6	5.90	0.75		有機質粘土	暗茶		3.45					5	
7				粘土	暗灰褐		4.15				0 / 40		
8	7.70	1.80		砂質粘土	緑青灰		4.55			自沈			
9	8.40	0.70		粘土混じり砂礫	暗青灰		5.15	1 / 15	1 / 12		3 / 37	2.4	
10	8.90	0.50		砂混じり粘土	緑青灰		5.52				1		
11	9.65	0.75		砂混じりシルト	暗青灰		6.15				5 / 30	5	
12	10.60	0.95		砂混じりシルト	暗青灰		6.45	1	2	2	30	7	
13				細砂	青灰		7.15				7 / 30	7	
14				細砂	青灰		7.45	2	2	3	30	9	
15	17.55	6.95		粘土混じり砂礫	暗青灰		8.15				12 / 30	12	
16	18.35	0.80		粘土混じり砂礫	暗青灰		8.45	3	4	5	30	15	
17				砂混じりシルト	暗青灰		9.15				15 / 30	15	
18				砂混じりシルト	暗青灰		9.45	5	5	5	30	9	
19				砂混じりシルト	暗青灰	10.15	2	3	4	30	29		
20				砂混じりシルト	暗青灰	10.45					50		
21				砂混じりシルト	暗青灰	11.15	5	9	15	30	50		
22				砂混じりシルト	暗青灰	11.45	14	16	20	30	51.7		
23				砂混じりシルト	暗青灰	12.15					51.7		
24				砂混じりシルト	暗青灰	12.45					50		
25				砂混じりシルト	暗青灰	13.15	16	16	9	29	53.6		
26				砂混じりシルト	暗青灰	13.44					53.6		
27				砂混じりシルト	暗青灰	14.15	15	16	9	29	50		
28				砂混じりシルト	暗青灰	14.44					50		
29				砂混じりシルト	暗青灰	15.15	14	16	20	30	53.6		
30				砂混じりシルト	暗青灰	15.45					53.6		
31				砂混じりシルト	暗青灰	16.15	15	16	8	28	53.6		
32				砂混じりシルト	暗青灰	16.43					53.6		
33				砂混じりシルト	暗青灰	17.15	13	16	8	28	75		