

所在地 東京都新宿区高田馬場四丁目4付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔 内 水 位 / 測 定 月 日	標準貫入試験					N 値 ~ 深度図
							深 度	10 cm ごとの打撃回数			打撃回数 / 貫入量	
								0 ~ 10	10 ~ 20	20 ~ 30		
1	0.70	0.70	埋土		暗黒灰	2.80	1.15			5 / 30	5	
2			ローム	褐	1.45							
3					2.15					4 / 30	4	
4	4.10	3.40			2.45		2	1	1	30		
5					3.15					3 / 30	3	
6			粘土混じり砂	暗茶褐	3.45		1	1	1	30		
7					4.15					6 / 30	6	
8	5.20	1.10			4.45							
9					5.15					13 / 30	13	
10			粘土 砂混じり礫	暗茶灰	5.45		2	6	5	30		
11					6.15					17 / 30	17	
12					6.45		4	6	7	30		
13					7.15				12 / 30	12		
14			砂礫	暗茶	7.45							
15					8.15				21 / 30	21		
16	8.70	3.50			8.45	7	5	9	30			
17					9.15				50 / 23	65.2		
18			細砂	暗茶灰	9.38	15	27	3				
19					10.15				50 / 26	57.7		
20					10.41	18	22	6				
21					11.15				50 / 18	83.3		
22					11.33	24	8					
23					12.15				50 / 8	53.6		
24					12.43	17	14					
25					13.15				50 / 26	57.7		
26					13.41	16	21	6				
27					14.15				50 / 22	68.2		
28					14.37	15	30	2				
29					15.15				50 / 18	83.3		
30	15.33	3.53				15.33	21	8				