

所在地 東京都新宿区下落合三丁目2 2 付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔 内 水 位 / 測 定 月 日	標準貫入試験					N 値	
							深 度	10 cm ごと の 打 撃 回 数			打 撃 回 数 / 貫 入 量		
								0	10	20			
1	1.50	1.50		埋土	暗茶	6.80 ≡	1.15				0 / 45	0	
2							1.60		自沈			4 / 35	3.4
3							2.15	1	1	2 / 15			
4							2.50					4 / 30	4
5							3.15	1	2	1			
6	6.60	5.10		ローム	茶褐		3.45					4 / 35	3.4
7					4.15				2 / 15		4 / 30	4	
8					4.50		1	1					
9					5.15						4 / 30	4	
10					5.45		1	2	1				
11	8.70	2.10	凝灰質粘土	淡茶 明青灰	6.15						4 / 30	4	
12					6.45		1	1	2				
13					7.15						6 / 30	6	
14					7.45		2	2	2				
15					8.15						8 / 30	8	
16					8.45		3	3	2				
17					9.15						6 / 30	6	
18					9.45		2	2	2				
19	10.50	1.80	粘土	淡青灰	10.15		1	2	2 / 15		5 / 35	4.3	
20					10.50								
21					11.15						8 / 30	8	
22					11.45	3	2	3					
23					12.15					13 / 30	13		
24					12.45	5	4	4					
25					13.15					12 / 30	12		
26	13.60	3.10	シルト混じり細砂	暗灰	13.45	4	4	4					
27					14.15					12 / 30	12		
28					14.45	4	4	4					
29					15.15					10 / 30	10		
30					15.45	4	3	3					
31					16.15					10 / 30	10		
32					16.45	3	3	4					
33					17.15					12 / 30	12		
34					17.45	4	4	4					
35					18.15					14 / 30	14		
36	18.50	4.90	硬質粘土	暗灰	18.45	4	5	5					
37					19.15					36 / 30	36		
38					19.45	10	12	14					
39					20.15			19 / 7		50 / 27	55.6		
40					20.42	8	23						
41					21.15					50			

