

所在地 東京都新宿区中落合二丁目3 - 4 付近

標高	深度	層厚	柱状図	土質区分	色調	孔内水位 / 測定月日	標準貫入試験					N 値	N 値 - 深度図
							深 度	10 cm ごと の打撃回 数			打撃回 数 / 貫入 量		
								0 ι	10 ι	20 ι			
	0.50	0.50		盛土	暗褐								
1				ローム	茶褐	2.80	1.15	2	2	3	7 / 30	7	
2							1.65	1	2	3	6 / 30	6	
3	2.60	2.10					2.95	2	2	2	6 / 30	6	
4				ローム質粘土	茶褐 乳黄灰		2.45	2					
5							3.15	1	1	2	4 / 30	4	
6							3.45						
7							4.15	1	2	2	5 / 30	5	
8							4.45						
9							5.15	2	2	2	6 / 30	6	
10							5.45						
11							6.15	2	1	2	5 / 30	5	
12	7.20	4.60					6.45						
13				凝灰質粘土	乳灰 暗青灰		7.15	2	2	2	6 / 30	6	
14							7.45						
15							8.15	2	3	3	8 / 30	8	
16							8.45						
17							9.15	3	4	4	11 / 30	11	
18							9.45						
19							10.15	1	2	2	5 / 30	5	
20							10.45						
21	11.60	4.40					11.15	2	2	2	6 / 30	6	
22				シルト質細砂	暗灰		11.45						
23	12.20	0.60					12.15	7	16	24	47 / 30	47	
24							12.45						
25				砂礫	暗灰		13.15	20	30		50 / 20	75	
26							13.35						
27							14.15	22	28 / 8	50 / 18	83.3		
28	15.10	2.90					14.33						
29							15.15	8	10	10	28 / 30	28	
30				硬質シルト	暗灰		15.45						
31	16.45	1.35					16.15	4	5	5	14 / 30	14	
32							16.45						