## 新宿区地盤資料

調査整理番号 017-023

所在地 東京都新宿区愛住町23-13付近

この資料は区内で建築されるための地盤の状況を確認するための参考資料です。 位置情報については、おおよその位置を示したものとなります。

票	深	層	柱	±	色	孔		標準貫入試験								
				質		内水位	深	1 と 回	0 cm の打	ご撃数	打擊	N				
			状	区		/		0	10	20	打擊回数/貫入量		N値~深度図			
1	度	厚	図	分	調	測定月日	度	≀ 10	≀ 20	30	貫入量	値				
	0.40			埋土	暗褐	<del>-</del>	_	Ť				-	b 10 20 30 40 50			
	0.40	0.40				1										
1							1.15		2 / 9	3 / 12	7 / 31					
				細砂	褐		1.46	2	9	12	31	6.8	8			
2							2.15			3 / 12	7 / 32					
	2.60	2.20					2.47	2	2	12	32	6.6	6			
3						2/1 3.80	3.15		2 /	4	8 /					
				微粒砂	黄灰	3.60	3.46	2	8	13	31	7.7	1 \			
4	4.35	1.75					4.15				18					
	4.80			細砂	褐		4.45	4	6	8	30	18				
5				微粒砂	黄灰		5.15				32					
	5.70	0.90			25.7		5.45	7	10	15	30	32				
6			-::::::				6.15	1.	40	22	60	cc -				
				細砂	褐		6.41	19	19	6	_26 	69.2	1     <u> </u>			
7	7.05	1.35		硬質砂質粘土	暗黄灰		7.15			27 / 9	60 /					
							7.44	12	21	9	29	62.1				
8				細砂	褐		8.15	24	36		60 / 20	90				
	8.80	1.55					8.35	24	30		20	90				
9				細砂	褐		9.15				22 / 30					
	9.60	0.80					9.45	7	7	8		22				
0							10.15	38	22 / 5		60 / 15	120				
				中細砂	暗灰		10.30									
11							11.15		23 / 6		60 / 16	113				
11	11.70	2.10					11.31	0.								
12	12.20	0.50		粘土	暗灰		12.15				9					
	12.70	0.50		粘土	暗青灰		12.45	2		4	30	9	9			
3	13.13	0.43	0.0.0	中細砂	暗灰	_	13.15	35	25 / 4		60 / 14	129				
							13.29									
14			0.000				14.15			17	60 /	04.7				
			0.000	砂礫	暗青灰		14.37	22	21	2	22	81.8	<b>1</b>     <b>1</b>   <b>1</b>			
15							15.15		20	8 /	60	01 ^				
			0.000				15.37	26	26	_2_		81.8				
6	16.00	2.87	0.000			-	16.15	38	22 / 7		60 / 17	106				
			0.0.0	砂礫	暗黄褐		16.32					.50				
7	17.35	1.35	$ \dot{\circ}\dot{\circ}\dot{\circ}\dot{\circ}\dot{\circ}$				17.15	31	29 / 6		60 / 16	113	3			
	11.30	1.35				1	17.31		Ĭ							
8			····:	中細砂	暗緑		18.15	60			60 / 10	180				
	18.60	1.25				-	18.25									
19				  硬質シルト混じり細  砂	暗青緑		19.15	60 / 9			60 / 9	200				
	19.70	1.10	/	R.			19.24									
20				細砂	暗緑		20.15	60 / 9			60 / 9	200				
20 21	20.60	0.90					20.24	Ť				230				
21	24 20	n 70		 	暗青灰		21.15			28	60					

E	I	ı	r		*********	İ	20.24	9			9	200	) I	I	01	7-023(	(カ360)	(2/2)
21	20.60	0.90	· · · · · · · · · · · · · · · · · · ·	硬質シルト混じり細 砂	暗青灰		21.15			28	60							
	21.30	0.70	· · // · ·	・ 硬質シルト混じり細 砂	暗青灰	-	21.44	14	18	9		62.	1					=
22					暗青緑		22.15 22.31	27	33 / 6		60 / 16	113	3				_	
23				中細砂			23.15		21		60							
	23.70	2.10					23.28	39 1	3		60	13	3					
24				中細砂	暗青灰		24.15 24.24	9			9	200					-	
25		0.47		細砂	暗青灰		25.15	44	16 / 2		60 / 12	45						
E	20.21	0.47				:	25.27	44	2		12	150	1					