

所在地 東京都新宿区大京町3 1 - 2 2 付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔 内 水 位 / 測 定 月 日	10 cmごとの打撃回数					N 値	標準貫入試験	
							深 度	10 cmごとの打撃回数			打撃回数 / 貫入量		N 値 - 深度図	
								0	10	20				
1	0.95	0.95		埋土	黒	2/23 2.00	1.15	1 / 14	1 / 12	1 / 9	3 / 35	2.6		
2	2.10	1.15		有機質シルト	黒		2.15	0 / 17	1 / 38		1 / 55	0.5		
3	2.80	0.70		粘土質シルト	黄茶		2.70				0 / 38			
4	4.15	1.35		砂質シルト	暗乳		3.15							
5	4.15	1.35		有機質シルト	暗茶	4.15					0 / 30			
6	6.90	2.75				4.45						0 / 55		
7	8.05	1.15		粘土質シルト	淡灰	5.15	0 / 23	1 / 32		1 / 55	0.9			
8	8.20	0.15				5.70						0 / 30		
9	12.60	4.40		シルト質細砂	淡緑 暗緑 暗灰	6.15								
10	13.90	1.30				6.45								
11	14.10	0.20		砂礫	緑灰	7.15	4	5	6	15 / 30	15			
12	14.10	0.20				7.45					18 / 30	18		
13	16.50	2.40		シルト質細砂	淡灰	8.15	3	7	8	30	34			
14	17.15	0.65				8.45					34 / 30	34		
15	17.15	0.65		砂礫	緑灰	9.15	9	11	14	30	38			
16	18.34	1.18				9.45					38 / 30	38		
17	18.34	1.18		シルト質細砂	淡灰	10.15	13	11	14	30	40			
18	18.34	1.18				10.45					40 / 30	40		
19	18.34	1.18		砂礫	緑灰	11.15	13	14	13	30	21			
20	18.34	1.18				11.45					21 / 30	21		
21	18.34	1.18		シルト質細砂	淡灰	12.15	7	7	7	30	180			
22	18.34	1.18				12.45					60 / 10	180		
23	18.34	1.18		砂礫	緑灰	13.15	60			60 / 10	180			
24	18.34	1.18				13.25					60 / 10	180		
25	18.34	1.18		シルト質細砂	淡灰	14.15	60			60 / 10	150			
26	18.34	1.18				14.25					60 / 10	150		
27	18.34	1.18		砂礫	緑灰	15.15		17 / 2		60 / 12	225			
28	18.34	1.18				15.27					60 / 8	225		
29	18.34	1.18		シルト質細砂	淡灰	16.15	60 / 8			60 / 8	60			
30	18.34	1.18				16.23					60 / 30	60		
31	18.34	1.18		砂礫	緑灰	17.15	15	18	27	30	94.7			
32	18.34	1.18				17.45					34 / 9	60 / 19		
33	18.34	1.18		シルト質細砂										