

所在地 東京都新宿区市谷薬王寺町 4 6 - 2 付近

標高	深度	層厚	柱状図	土質区分	色調	孔内水位 / 測定月日	10 cmごとの打撃回数					N	標準貫入試験	
							深	10 cmごとの打撃回数			打撃回数 / 貫入量		N 値 - 深度図	
								0	10	20				
尺	度	厚	図	分	調	日	度	10	20	30		値		
1	1.50	1.50	盛土	褐灰	5.80	1.15	1 / 16	1 / 8	1 / 8	3 / 32	2.8			
2	2.15		ローム	茶褐		1.47				1 / 11	3 / 31	2.9		
3	2.46					1	1							
4	3.15					1 / 11	2 / 14	4 / 35	3.4					
5	3.50													
6	4.15		2	3		3	8 / 30	8						
7	4.45													
8	5.15		1 / 16	1 / 15		2 / 31	1.9							
9	5.46													
10	6.15		1	2		3 / 12	6 / 32	5.6						
11	6.47		凝灰質粘土	乳緑灰	7.15				7 / 30	7				
12	7.45				2	2	3							
13	8.15							11 / 30	11					
14	8.45				4	4	3							
15	9.15		粘土混り細砂	茶褐灰	9.45				20 / 30	20				
16	10.15				5	7	8							
17	10.29				30	20 / 4	50 / 14	107						
18	11.15													
19	11.34		細砂	茶褐 緑黄灰	12.15			10 / 3	50 / 23	65.2				
20	12.38				16	24								
21	13.15						32 / 30	32						
22	13.45				9	10	13							
23	14.15		シルト混り微細砂	緑黄灰	14.45				29 / 30	29				
24	15.15						18 / 7	50 / 27	55.6					
25	15.42				12	20								
26	16.15						50 / 20	75						
27	16.35		シルト混り細砂	緑黄灰	17.15			10 / 1	50 / 11	136				
28	17.26				40									
29	18.15						50 / 15	100						
30	18.30													
31	19.15		シルト混り微細砂	緑黄灰	19.33		30 / 8	50 / 18	83.3					
32	19.80				20									
33	20.15		細砂	緑黄灰	20.20		50 / 5	50 / 5	300					
34	20.20													