

所在地 東京都新宿区馬場下町6-1 付近

標	深	層	柱	土	色	孔内水位 / 測定月日	標準貫入試験				N	
							深	10 cmごとの打撃回数				打撃回数 / 貫入量
								0	10	20		
尺	度	厚	状	質	調		度	10	20	30	値	
1			埋土	暗茶灰 暗黒灰 暗灰		2.65	1.15	3 / 30		3 / 30	3	
2							1.45					
2.30	2.30		粘土	暗黄灰			2.15	1 / 30		1 / 30	1	
2.70	0.40						2.45					
3			小礫混シルト質細砂	暗青灰			3.15	3 / 30		3 / 30	3	
3.70	1.00						3.45					
4			凝固シルト	暗灰			4.15	12 / 30		12 / 30	12	
5							4.45					
5.00	1.30		シルト質細砂	暗灰			5.15	20 / 30		20 / 30	20	
6							5.45					
6.00	1.00		砂礫	暗黄褐 暗黄灰 暗黄灰			6.15	50 / 30		50 / 30	50	
7							6.45					
7.15							7.15	50 / 8		50 / 8	188	
8							7.23					
8.15							8.15	50		50 / 10	150	
9							8.25					
9.15							9.15	50 / 7		50 / 7	214	
10							9.22					
10.15							10.15	50 / 33		50 / 33	45.5	
11							10.48					
11.15							11.15	48 / 30		48 / 30	48	
12							11.45					
12.15							12.15	50 / 30		50 / 30	50	
13							12.45					
13.15							13.15	50 / 13		50 / 13	115	
14							13.28					
14.15							14.15	50 / 4		50 / 4	375	
15							14.19					
15.15							15.15	50 / 5		50 / 5	300	
15.20	9.20						15.20					