

所在地 東京都新宿区住吉町4-9付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔 内 水 位 / 測 定 月 日	10cmごとの打撃回数				打撃回数 / 貫入量	N 値	標準貫入試験	
							深 度	0	10	20			N 値 ~ 深度 図	
							度 10	20	30					
1				埋土	暗黄褐	2.31 ≡	1.15	1 / 20	1	2 / 30	2			
2	1.80	1.80					2.15	1 / 20	1 / 15	2 / 35	1.7			
3				目表土	暗褐灰		2.50							
4	3.75	1.95					3.15	1 / 34		1 / 34	0.9			
5	4.15	0.40		凝灰質粘土	黄褐灰		3.49							
6							4.15	1 / 20	2	3 / 30	3			
7							4.45							
8							5.15			11 / 30	11			
9							5.45	4	3	4				
10				シルト混り細砂	暗黄灰		6.15	3 / 11	2	3 / 31	7.7			
11							6.46							
12							7.15			24 / 30	24			
13							7.45	6	8	10				
14	8.20	4.05					8.15			19 / 30	19			
15							8.45	5	9	5				
16							9.15			32 / 30	32			
17							9.45	7	10	15				
18				粘土質細砂	暗褐灰		10.15			26 / 30	26			
19							10.45	5	10	11				
20							11.15			36 / 30	36			
21	11.65	3.45					11.45	20	9	7				
22						12.15	3 / 12	3	4 / 32	9.4				
23				シルト	灰	12.47								
24	13.50	1.85				13.15	6	12	23	41				
25						13.45								
26						14.15		29 / 6	50 / 16	93.8				
27				砂礫	暗黄灰	14.31	21							
28						15.15	50		50 / 10	150				
29	15.80	2.30				15.25								
30						16.15			34 / 30	34				
31				シルト混り細砂	暗緑灰	16.45	7	10	17					
32	17.00	1.20				17.15			45 / 30	45				
33						17.45	9	13	23					
34						18.15		26 / 5	50 / 15	100				
35				中砂	暗緑灰	18.30	24							
36	19.00	2.00				19.15	50 / 9		50 / 9	167				
37						19.24								
38						20.15	50 / 9		50 / 9	167				
39						20.24								
40						21.15	50		50 / 10	150				

