新宿区地盤資料

調査整理番号 101-014

所在地 東京都新宿区市谷台町13-1付近

この資料は区内で建築されるための地盤の状況を確認するための参考資料です。 位置情報については、おおよその位置を示したものとなります。

	深	層	柱	土	色	孔		標準貫入試験										
	/不	眉	111			内	:57	1	0 cm の打	2	<u>†</u> т	N1		15千貝八	日44河大			
				質		水位	深	と 回	の打	擊 数	打擊回	N						
			状	X		/ 測		0	10	20	数/				N値~	深度図		
				<u> </u>		定月日		ł	ł	ł	貫							
	度	厚	図	分	調	Ħ	度	10	20	30	量	値	0 10) 2	0 3	0 4	0 50)
-	0.30	0.30	00000	埋土	褐灰	-												
1						2/25												
1				п-4	茶褐	1.70	1.15	1	2	3	6 / 30	6	•					
	1.90	1.60	00000			-	1.45											
2			V V V V V V	1			2.15	3	4	5	12 / 30	12		4				
			X X X X X X				2.45											
3				砂質ローム	茶褐		3.15	5	6	7	18 / 30	18		$\overline{}$				
			/\	砂質ローム			3.45					"						
4	4.05	2.15	() () () () =====			1	4.15	1	1	1	3 / 30	3						
				凝灰質シルト	暗灰		4.45	Ė				ا						
5		, .					5.15	1 / 15	1 / 15		2 / 30	2						
f	5.50	1.45				†	5.45	13	10		30		$ \setminus $					
6				粘土	淡青灰		6.15			•	6 /	_						
-	6.70	1.20				-	6.45	2	2	2	30	6						
7							7.15	_			21 / 30			$\overline{}$	•			
							7.45	6	7	8	30	21						
8				」 - 固結粘土	淡青灰		8.15				27				$\overline{}$			
				드	72,672		8.45	8	9	10	30	27			<i>_</i> *			
9							9.15				15							
	9.80	3.10					9.45	4	5	6	30	15		1				
1	2.50	3.10	////	粘土質細砂	淡青灰	1	10.15	1			20			\rightarrow				
-	10.50	0.70	/,/ /. /.			-	10.45	6	7	7		20		/	,			
1			;;;;;;;	シルト質細砂	暗灰		11.15				9			/-				
ļ	11.60	1.10					11.45	3	3	3	30	9						
2				砂質シルト	暗灰		12.15				3 /		$\vdash \! / \! + \! \mid$					
-	12.50	0.90				-	12.45	1	1	1		3		_				
3				シルト混じり細砂	暗灰		13.15				35 /							
-	13.60	1.10	: ;/::: :				13.45	10	12	13	30	35				-		
4			-::::::				14.15			19	50							
							14.44	15	16	9	29	51.7	1					
5			:::::::				15.15				43							
				細砂	暗灰		15.45	12	15	16	30	43					$ $ \langle $ $	
6							16.15			20 / 8	50	53.6						
							16.43	13	17	8	28	53.6						
7							17.15				50 /							
	17.60	4.00	·····				17.35	20	30		20	75					→	
8							18.15		19		50 /							
				微細砂	暗灰		18.31	31	6		16	93.8						
9	18.85	1.25		硬質シルト	淡青灰	-	19.15	50 / 5			50 / 5	300						
ŀ	19.30	0.45	·····			1	19.20	٦			Ü	300						
0				細砂	暗灰		20.15		20		50 /							
	20.60	1.30	-:-::::				20.30	30	5		15	100					→	
:1	50			硬質シルト混じり細 砂	暗灰]	21.15		20 /		50 /							

