

所在地 東京都新宿区百人町一丁目7-15付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔 内 水 位 ／ 測 定 月 日	10cmごとの打撃数				打撃回数／貫入量	N 値	標準貫入試験	
							深 度	0 〃	10 〃	20 〃			N 値～深度図	
							度	10	20	30				
1		1.60	盛土		黒灰	2.82	1.15		1/20	1/15	2/35	1.7		
2		1.60	凝灰質粘土ローム	茶褐 乳灰	1.50					1/36		0.8		
		2.15			1/36									
3		2.51												
		3.15			1/16			1/15	2/31	1.9				
4		3.80	2.20	シルト	暗褐灰 茶灰		4.15		2/13	2/8	6/31	5.8		
			4.46											
5			5.15				1/18		1/13	2/31	1.9			
			5.46											
6			6.15				1/38			1/38	0.8			
			6.53											
7			7.15				1/14		1/16	2/30	2			
			7.45											
8		8.00	4.20	粘土	茶灰 暗緑灰		8.15				3/30	3		
			8.45				1	1	1					
9			9.15							5/30	5			
		9.70	1.70	砂礫	黄灰		9.45	1	2	2	30			
10			10.15					14/2	50/12	125				
			10.27				36							
11		10.90	1.20	細砂	黄灰		11.15				34/30	34		
			11.45				7	12	15					
12			12.15						19/30	19				
		12.65	1.75	礫混り細砂	暗青灰	12.45	5	6	8					
13			13.15					38/30	38					
			13.45			8	13	17						
14			14.15					50/30	50					
			14.45			7	14	29						
15		15.40	2.75	砂礫	黄灰	15.15	5			50/5	300			
			15.20											
16			16.15				30/3	50/13	115					
			16.28											
17		17.55	2.15			17.15	50			50/10	150			
			17.25											
18			18.15					38/30	38					
			18.45			12	12	14						
19			19.15					40/30	40					
			19.45			11	14	15						
20			20.15					39/30	39					
			20.45	10	13	16								
21			21.15			43								

