

所在地 東京都新宿区百人町一丁目20-24付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔内水位／測定月日	10 cmごとの打撃数				N 値	標準貫入試験 N値～深度図	
							深 度	10 cmごとの打撃数					打撃回数／貫入量
								0 〃	10 〃	20 〃			
	0.20	0.20		埋土	茶褐								
	0.90	0.70		粘土	黒茶								
1							1.15	2 / 14	1 / 6	2	5 / 30		
2							1.45	2 / 15	1 / 5	2	5 / 30		
3				ローム	黄褐		3.15			2 / 14	4 / 34		
4							3.49	1	1				
5							4.15	1 / 11	1 / 9	2 / 19	4 / 39		
6	5.85	4.95				5.83	5.15				6 / 30		
7				凝灰質粘土	黄褐灰		6.15	1 / 35			1 / 35		
8	8.20	2.35					7.15				3 / 30		
9							8.15				15 / 30		
10				砂礫	黄褐		9.15	10	9	9	28 / 30		
11							10.15	20	27	1	50 / 21	71.4	
12							11.15				35 / 30		
13							12.15	6	7	9	22 / 30		
14	14.00	5.80		礫混り細砂	黄褐		13.15	11	15	15	41 / 30		
15	14.30	0.30		粘土混り微細砂	乳黄褐		14.15	4 / 11	5 / 9	9	18 / 30		
16	15.90	1.60					15.15	4	4	5	13 / 30		
17				粘土混り砂礫	黄褐		16.15	10	4	2	16 / 30		
18	17.70	1.80					17.15	3	4	6	13 / 30		
19							18.15	8	9	10	27 / 30		
20							19.15	6	9	12	27 / 30		
21							20.15	7	9	10	26 / 30		
							21.15				22		

