

所在地 東京都新宿区百人町一丁目20-3付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔内水位／測定月日	10 cmごとの打撃数					打撃回数／貫入量	N 値	標準貫入試験	
							深 度	0	10	20	30			N 値～深度図	
							度	10	20	30					
		0.70	0.70	盛土	暗茶褐			1.15	2 / 14	1 / 6	4 / 30	4			
1								1.45				5			
2								2.15	2 / 14	1 / 6	5 / 30	2.8			
3								2.45				3			
4				ローム	茶褐			3.15	1 / 12	1	1 / 32	6			
5								3.47				2.7			
6								4.15	1 / 13	1 / 9	1 / 8	3 / 30	2		
7		6.50	5.80					4.45				2			
8								5.15				6			
9				凝灰質粘土	黄褐 乳黄灰 黄褐	4/14 7.50		5.45	2	2	2	30	2.0		
10								6.15	1 / 13	1	1 / 33	2			
11								6.48				2			
12		8.55	2.05					7.15	1 / 17	1 / 13	2 / 30	2			
13								7.45				2			
14								8.15	1 / 18	1 / 12	2 / 30	2			
15								8.45				26			
16								9.15				26			
17								9.45	3	11	12	30			
18								10.15				40			
19								10.45	12	14	14	30			
20								11.15				32			
21								11.45	7	11	14	30			
22				粘土混じり細砂	黄褐灰			12.15				38			
23								12.45	11	13	14	30			
24								13.15				31			
25								13.45	8	10	13	30			
26								14.15				18			
27								14.45	6	6	6	30			
28								15.15				23			
29								15.45	6	7	10	30			
30				粘土混じり中砂	黄褐灰			16.15			20 / 8	50 / 28	53.6		
31								16.43	17	13					
32				粘土混じり砂礫	黄褐灰			17.15				20 / 30	20		
33								17.45	5	6	9	30			
34								18.15				23 / 30	23		
35								18.45	6	7	10	30			
36								19.15				25 / 30	25		
37															

