

所在地 東京都新宿区西早稲田一丁目9-4付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔内水位／測定月日	標準貫入試験					
							深 度	10 cmごとの打撃回数			打撃回数／貫入量	N 値
								0 ～ 10	10 ～ 20	20 ～ 30		
1	0.90	0.90		盛土	褐灰	2.15 ≡	1.15	1 / 45		1 / 45	0.7	N値～深度図
2	2.20	1.30		粘土質ローム	暗茶褐 黄褐		1.60					
3	2.70	0.50		粘土質細砂	黄褐		2.15	1 / 23	1 / 14	2 / 37	1.6	
4	3.50	0.80		粘土混じり砂礫	黄茶褐		2.52				11	
5	4.60	1.10		シルト質粘土	青灰		3.15	3	3	5 / 30	17	
6	5.60	1.00		細砂	暗青灰		3.45				27	
7				シルト質粘土	青灰		4.15	5	5	7 / 30	23	
8				シルト質粘土	青灰		4.45				23	
9				シルト質粘土	青灰		5.15	22	28 / 8	50 / 18	93.3	
10	10.60	5.00		シルト質粘土	青灰		5.33				24	
11				細砂	暗緑灰 淡緑灰 暗灰		6.15	8	9	10 / 30	136	
12				細砂	暗緑灰 淡緑灰 暗灰		6.45				188	
13				細砂	暗緑灰 淡緑灰 暗灰		7.15	7	7	9 / 30	150	
14				細砂	暗緑灰 淡緑灰 暗灰		7.45				136	
15				細砂	暗緑灰 淡緑灰 暗灰		8.15	6	8	9 / 30	107	
16	16.29	5.69		細砂	暗緑灰 淡緑灰 暗灰		8.45					
				細砂	暗緑灰 淡緑灰 暗灰	9.15	6	7	9 / 30			
				細砂	暗緑灰 淡緑灰 暗灰	9.45						
				細砂	暗緑灰 淡緑灰 暗灰	10.15	6	8	10 / 30			
				細砂	暗緑灰 淡緑灰 暗灰	10.45						
				細砂	暗緑灰 淡緑灰 暗灰	11.15	24	26 / 6	50 / 16			
				細砂	暗緑灰 淡緑灰 暗灰	11.31						
				細砂	暗緑灰 淡緑灰 暗灰	12.15	45	5 / 1	50 / 11			
				細砂	暗緑灰 淡緑灰 暗灰	12.26						
				細砂	暗緑灰 淡緑灰 暗灰	13.15						
				細砂	暗緑灰 淡緑灰 暗灰	13.23						
				細砂	暗緑灰 淡緑灰 暗灰	14.15	50		50 / 10			
				細砂	暗緑灰 淡緑灰 暗灰	14.25						
				細砂	暗緑灰 淡緑灰 暗灰	15.15	46	4 / 1	50 / 11			
				細砂	暗緑灰 淡緑灰 暗灰	15.26						
				細砂	暗緑灰 淡緑灰 暗灰	16.15						
				細砂	暗緑灰 淡緑灰 暗灰	16.29	30	20 / 4	50 / 14			