

所在地 東京都新宿区上落合一丁目3-9 付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔 内 水 位 / 測 定 月 日	10 cmごとの打撃数				打 撃 回 数 / 貫 入 量	N 値	標準貫入試験					
							深 度	0 回	10 回	20 回			N 値 ~ 深度図					
							度	10	20	30								
	0.15	0.15		コンクリート														
	0.60	0.45		盛土	黒褐													
1	1.40	0.80		粘土	黒	1.40	1.15	1 / 25	2 / 5	3 / 30	3							
2	2.50	1.10		粘土混じり砂礫	黄褐		1.45				9							
3				粘土混じり細砂	黄灰 暗青灰 黄灰		2.15				20							
4						2.45	3	3	3	30	23							
5						3.15	6	7	7	30	22							
6						3.45					23							
7				固結シルト	暗青灰 暗灰		4.15	6	7	10	23							
8						4.45					22							
9						5.15	6	6	10	30	23							
10						5.45					23							
11						6.15	7	7	9	30	25							
12						6.45					24							
13						7.15	7	8	10	30	22							
14						7.45					24							
15						8.15	7	9	11	30	25							
16						8.45					24							
17				9.15	7	7	10	30	83.3									
18				9.45					107									
19				10.15	7	8	10	30	100									
20				10.45					93.8									
21				11.15	7	7	10	30										
22				11.45														
23				12.15	6	7	9	30										
24				12.45														
25				13.15	6	7	10	30										
26				13.45														
27				14.15	6	6	10	30										
28				14.45														
29				15.15	26	24 / 8	50 / 18											
30				15.33														
31				16.15	29	21 / 4	50 / 14											
32				16.29														
33																		