

所在地 東京都新宿区西新宿七丁目7-23付近

標	深	層	柱	土	色	孔内水位／測定月日	標準貫入試験					N
							深	10 cmごとの打撃数			打撃回数／貫入量	
								0	10	20		
尺	度	厚	状	質	調		度	10	20	30	値	
	0.60	0.60	盛土		暗褐	5/9 3.78						0
1			ローム	茶褐	1.15		1/9	2/16	1/7	4/32	3.8	
2					1.47		1/8	2/12	2	5/30	5	
3					2.15						6	
4					2.45						8	
5					3.15					6/30	9	
6					3.45		2	2	2		1.6	
7					4.15		1/8	4/12	3	8/30	2.5	
8					4.45						15	
9					5.15					9/30	10	
10					5.45	3	3	3		39		
6			凝灰質粘土	暗褐 暗灰	6.15	1/20	1/18		2/38			
7					6.53							
8					7.15	1/14	1/12	1	3/36	10		
9			シルト	暗緑灰	7.51							
10					8.15				15/30			
11					8.45	4	5	6				
12			細砂	暗灰	9.15				10/30			
13					9.45	3	3	4				
14					10.15	12	15	12	39/30			
15			砂質シルト	暗灰	10.45							
16					11.15				10/30			
17					11.45	3	3	4				
18			砂礫	暗灰 暗褐灰	12.15		26/7		50/17	88.2		
19					12.32	24						
20					13.15		24/7		50/17	88.2		
21					13.32	26						
22					14.15				50/20	75		
23					14.35	28	22					
24			シルト混じり細砂	暗緑灰 暗灰	15.15		19/5		50/15	100		
25					15.30	31						
26					16.15	7	10	21	38/30	38		
27					16.45							
28					17.15				45/30	45		
29					17.45	9	13	23				
30			礫混じり細砂	暗灰	18.15		19/7	50/27	55.6			
31					18.42	9	22					
32					19.15		22/5		50/15	100		
33					19.30	28						
34					20.15		7/1	50/21	71.4			
35					20.36	9	34					
36					21.15			10	50			

