

所在地 東京都新宿区西新宿八丁目5 - 2 付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔 内 水 位 / 測 定 月 日	10 cmごとの打撃回数					N 値	標準貫入試験 N 値 - 深度図
							深 度	10 cmごとの打撃回数			打撃回数 / 貫入量		
								0	10	20			
1	1.40	1.40		埋土	茶灰	7.96 ≡	1.15	1 / 12	1 / 9	1 / 11	3 / 32	2.8	
2							1.47						
3				ローム	黄灰 暗黄褐		2.15	1 / 9	1 / 7	2 / 17	4 / 33	3.6	
4							2.48						
5							3.15	1 / 11	2 / 14	2 / 12	5 / 37	4.1	
6							3.52						
7				凝灰質ローム	暗黄灰 暗黄茶灰		4.15	2 / 11	2 / 9		6 / 30	6	
8							4.45						
9	5.65	4.25					5.15	1 / 7	2 / 13	2 / 11	5 / 31	4.8	
10							5.46						
11							6.15	2 / 11	2 / 8	3 / 12	7 / 31	6.8	
12				凝灰質粘土	黄褐		6.46						
13	7.65	2.00					7.15	1 / 8	2 / 12		5 / 30	5	
14							7.45						
15	8.40	0.75		粘土	暗緑		8.15		2 / 7	3 / 13	7 / 30	7	
16							8.45	2					
17	9.65	1.25		砂質粘土	緑褐		9.15	3 / 11	3	3	9 / 31	8.7	
18							9.46						
19				粘土質細砂	暗青灰		10.15				11 / 30	11	
20							10.45	3	4	4			
21	11.50	1.85		細砂	暗褐灰		11.15				14 / 30	14	
22						11.45	4	5	5				
23	12.45	0.95		砂質粘土	暗青灰	12.15				17 / 30	17		
24						12.45	5	6	6				
25	13.60	1.15		粘土質微細砂	暗青灰	13.15				41 / 30	41		
26						13.45	11	16	14				
27						14.15	2 / 9	3 / 12	3 / 9	8 / 30	8		
28						14.45							
29						15.15				11 / 30	11		
30						15.45	3	4	4				
31						16.15				13 / 30	13		
32						16.45							
33						17.15				15 / 30	15		
34						17.45	3	7	5				
35	18.55	4.95		砂礫	暗青緑	18.15				13 / 30	13		
36						18.45	4	4	5				
37						19.15				39 / 30	39		
38	19.40	0.85				19.45	11	15	13				
39						20.15				50 / 16	50		
40						20.31	31	19 / 6			93.8		

