## 新宿区地盤資料

調査整理番号 023-008

所在地東京都新宿区新宿二丁目10-4付近

この資料は区内で建築されるための地盤の状況を確認するための参考資料です。 位置情報については、おおよその位置を示したものとなります。

標										の位置を示したものとなります。 標準貫入試験												
1示	深	層	柱			孔内水位	深	1	0 cm の打	ت ش	‡T	N										
			410	質			/ <b>*</b>	回		擊 数	打擊回数/貫入量	ıN	`									
			状	X		測		0	10	20	数/		N値~深度図									
	_	_			+=	測 定 月	_	≀	≀	≀	貫入		_									
尺	度	厚	図 //	分	調	Н	度	10	20	30	重	値	<u>■ 0 10 20 30 40 50 60</u>									
Ē				盛土	100 公司								- <b>b</b> 10 20 30 40 50 60									
<u> </u>				<b>麗</b> 工	暗褐		1.15	1 /	1 / 15		2											
	1.50	1.50	/				1.45	15	15		30	2	2									
<u> </u>			/				2.15				3 /											
				表土	黒褐		2.45	1	1	1	30	3	3 •									
3 3			/				3.15	/	1 / 12	1 / 8	3 / 35											
	3.50	2.00	/ (	п-4	茶褐		3.50	15	12	8	35	2.6	2.6									
_ 4	4.00	0.50	7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.	ローム質粘土	茶褐		4.15	1	1 / 7	2 / 13	4 / 30											
	4.50	0.50	14.0N.,				4.45		,	13	JU	4										
3 4 5 6 7 7 8							5.15	2	2	3	7 / 30	7	7									
							5.45															
6							6.15	1 / 12	1 / 12	1 / 9	3 / 33	2.7										
							6.48						2.7									
7					淡緑灰	7.50	7.15	1 / 17	1 / 13		2 / 30	2										
Ē,				凝灰質粘土	暗褐	<del>-</del>	7.45															
					中日 ボネノ人		8.15	2	2 / 12	2 / 8	6 / 30	6	6 4									
Ē.							8.45				9		6									
9 10 10							9.15	3	3	3	/ 30	9	9									
E 10							10.15				7											
							10.15	2	2	3	, 30	7	1 1									
11	10.70	6.20					11.15		18		50		000									
							11.30		5		15	100	00									
12				細砂	緑青灰 ~ 暗灰		12.15			8	50											
							12.36	18	24	1	/ 21	71.4	4									
13	13.00	2.30					13.15				37											
13 13 14 15 16 17 17 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19			<i>;</i>				13.45	12	12	13	30	37	37									
Ē 14			 	固結シルト混り細砂	暗灰		14.15				31 /											
	14.70	1.70					14.45	10	10	11	30	31	31									
E 15							15.15				13 /											
				砂混りシルト	暗灰		15.45	4	5	4	30	13	13									
16			•••¯				16.15				15											
Ē	16.70	2.00	====				16.45	5	6	4	30	15	15									
17				シルト混り細砂	暗灰		17.15		40	40	30 / 30	-										
	17.50	0.80					17.45	10	10	10	30	30	»									
18				「小さ日」コン・リート	p.±.+-		18.15		7	7	21 / 30	04	21									
			*****	砂混りシルト	暗灰		18.45	7	/		30	21	21									
19	19.25	1.75	<u> </u>				19.15	8	8	9	25 / 30	25										
Ē	19.90	0.65	<u></u>	細砂	暗灰		19.45		U	ö		20	25									
20							20.15	8	7	7	22 / 30	22	22									
Ė							20.45			•			]   /									
<u></u> 21			====	両后 シルト	略标		21.15				18 /											

E	1	ĺ	l====	1	1	1	Ш	8	7	7	/ 30	22		l	I	ø	02	3-008	イ185)	(2/2) =
21				硬質シルト	暗灰		20.45 21.15				18									
							21.45	7	5		30	18	3							
E 22	22.50	2.60	====				22.15	4	6	5	15 / 30	15				_				=
23				が <b>砂礫</b>	暗青灰		23.00 23.04	50 / 4			50 / 4	375							->	
								50			50									
E							24.15 24.17	2			2	750								
25			0000				25.15	50 / 5			50 / 5	300								
E			0.0.0.0.0				25.20				50									
22 22 23 24 25 25 26 26 27 27 28 28 29 29 29 29 29 29 29 29 29 29 29 29 29							26.15 26.25	50			50 / 10	150							_	
								50			50									
							27.15 27.20	5			5	300								
28			0.000				28.15 28.21	50 / 6			50 / 6	250								
E	28.80	6.30					28.21													
E 29							29.15	21	29 / 8		50 / 18	83.3								
				細砂	暗青灰		29.33				50									
E 30	30.35	1.55					30.15	22	28		50 / 20	75							-	