

所在地 東京都新宿区新宿七丁目 1 2 - 2 4 付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔内水位 / 測定月日	標準貫入試験					N 値	N 値 - 深度図
							深 度	10 cm ごとの打撃回数			打撃回数 / 貫入量		
								0	10	20			
1	1.20	1.20	盛土		暗茶	2.80	1.15				3 / 30	3	
2			腐植土		黒灰		1.45	1	1	1	4 / 30	4	
3	3.00	1.80					2.15						
4			砂質粘土		黄褐		2.45	1	1	2	30	8	
5							3.15				8 / 30	6	
6	4.70	1.70	砂礫		褐灰		3.45	2	3	3	30	8	
7							4.15				6 / 30	26	
8	4.70	1.70	砂混りシルト		暗灰		4.45	2	2	2	30	24	
9	5.10	0.40					5.15				8 / 30	27	
10			砂混りシルト		暗灰		5.45	2	3	3	30	36	
11	7.40	2.30					6.15	7	9	10	30	22	
12			細砂		暗灰		6.45				24 / 30	125	
13			砂混りシルト		暗灰		7.15	8	8	8	30	100	
14	9.40	2.00					7.45				27 / 30	100	
15	10.00	0.60	細砂		暗灰		8.15	9	9	9	30	68.2	
16			砂混りシルト		暗灰		8.45				36 / 30	62.5	
17	11.00	1.00				9.15	8	9	19	30	100		
18			礫混り砂		暗青灰	9.45				22 / 30			
19	13.00	2.00				10.15	7	8	7	30			
20						10.45				50 / 12			
21	11.00	1.00	細砂		暗灰	11.15	38	2		50 / 15			
22						11.27				50 / 15			
23	12.15					12.15	29	5		50 / 15			
24	12.30					12.30				50 / 15			
25	13.15					13.15	29	5		50 / 15			
26	13.30					13.30				10 / 2			
27	14.15					14.15	14	26		50 / 22			
28	14.37					14.37				50 / 24			
29	15.15					15.15	18	21	4	50 / 15			
30	15.39					15.39				50 / 15			
31	16.15					16.15	31	5		50 / 15			
32	16.30					16.30							