新宿区地盤資料

調査整理番号 002-021

所在地 東京都新宿区四谷二丁目9-9付近

この資料は区内で建築されるための地盤の状況を確認するための参考資料です。 位置情報については、おおよその位置を示したものとなります。

_	_	_					_ `	נו <i>כי</i>	∠.E	⊒.℃	_ . //\		たものとなります。						
票	深	層	柱	土	色	孔内							標準貫入試験						
				質		水位	深	1 と 回	0 cr の打	mご J撃 数	打擊回数	N							
			状	区		/			10	20	回数/		N値~深度図						
						測 定 月		ì	ł	1	貫入								
7	度	厚	図	分	調	日	度	10	20	30	量	値	0 10 20 30 40 50 60						
	0.70	0.70		埋土	暗褐色														
1	4 45	0.75		ローム	黄茶褐色		1.15	/			4 /	١,							
	1.45	0.75				-	1.45	30			30	4							
2	2.50	1.05	XXXXX	D-A	茶褐色		2.15	6 / 30			6 / 30	6	6)						
3			WWWW				2.45 3.15	4			4								
				n = /	黄褐色	3.85	3.45	/ 30			/ 30	4	4 (
4			XXXXX		2 N/C	<u> </u>	4.15	5 /			5 /								
	4.75	2.25	000000 00000				4.45	30			30	5	5 1 1 1 1 1						
5			00000 00000 00000 00000 00000 00000		黄茶褐色		5.15	/			9 /	g							
	5.85	1.10			AWIGE		5.45	30			30	9	1 /						
6			#				6.15	6 / 30			6 / 30	6							
7				シルト質粘土	暗灰色		6.45	6			6								
	7.65	1.80					7.15	30			30	6	d d						
							8.15	7			7								
	0.05	4 00		粘土	青灰色		8.45	30			30	7	, , , , , , , , , , , , , , , , , , ,						
9 10	8.83	1.20		粘土	青白色		9.15	/			6 /								
-	9.75	0.90		m±	HUC		9.45	30			30	6							
10	10.45	0.70		粘土	青白緑色		10.15	30			7 / 30	7	, •						
11				粘土	乳白色		10.45				7								
"		0.75		粘土	乳黄色		11.15	30			/ 30	7	, ,						
11 1	11.75	0.55					12.15				20								
							12.45	30			30	20							
13				細砂	暗灰色		13.15	/ /			22 / 30								
Ĺ	13.85	2.10					13.45	30			30	22							
14	14.15	0.30		微粒砂 細砂	黒灰色 黒灰色		14.15	30			29 / 30	29							
15	14.60	0.45					14.45												
13				粘土質シルト	灰色		15.15 15.45	7 / 30			7 / 30	7							
16				H-R/WI	/\C		16.15	8 /			8								
1	16.55	1.95	<i>-///</i>				16.45	30			30	8							
17							17.15	/			8 /								
							17.45	30			30	8	8 1						
18				粘土質シルト	暗青灰色		18.15	30			10 / 30	10							
10							18.45					"							
19	19.50	2.95					19.15 19.45	10 / 30			10 / 30	10							
20							19.45 20.15	9 /			9 /								
13				シルト	暗灰色		20.15	30			30	9							
21							21.15				12								

FI	ı		ı	I	ı	I		/ 30	l I	30	d	I	41		ı	002-	021(기	D-132)	(2/2
				シルト	暗灰色		20.45				3		1	\					
21	. 45	1.95					21.15	30		12 / 30	12			1					
22 22	. 20	0.75	******	腐蝕土	黒褐色		22.15			15				\perp					
22		0.50		砂質シルト	暗灰色		22.45	30		30	15			b.					=
21 21 22 22 22 22 22 22 22 22 22 22 22 2							23.15	30		27 / 30	27					/			
24				微粒砂	灰色		23.45			54									
24	. 40	1.70					24.45	30		30	54								
25				lem Tub.	#+-4		25.15	30		58 / 30	58								-
26				細砂	黄灰色		25.45												
26	. 50	2.10		•			26.15 26.45	30		63 / 30	63								
27 28 29 29				· }			27.15	56 / 30		56 / 30									
			oo oo	礫混り細砂	黄灰色		27.45	30		30	56								7
28				?															
29 29	. 18	2.68	00000				29.15	83		83									
							29.45	30		30	83								
-				<u> </u>	1														=