## 新宿区地盤資料

調査整理番号 004-061

所在地 東京都新宿区四谷四丁目 2 7 - 7付近

この資料は区内で建築されるための地盤の状況を確認するための参考資料です。 位置情報については、おおよその位置を示したものとなります。

Ī	深	層	柱	±	色	孔								標準貫入	 .試験			
	•	.,		質		内水位	深	1 ک	0 cm の打	ご撃	打擊	N			**			
			状			/		回 0	10	数 20	打擊回数人				NI /古	. 密度网		
				X		測定月日			≀	20	貫				N1ª~	·深度図		
	度	厚	図	分	調	日日	度	10	20	30	λ	値	<u>0</u> 1	0 2	20 ;	30	40 50	)
Ī				埋土	暗灰													
1	0.75	0.75	00000				1.15	2	2	1	5							
							1.49	2 / 14	2 / 14	1 / 6	5 / 34	4.4	ŗ					
2			XXXXX	п-4	黄褐		2.15	2 /			2 /		$\sqcup \!\!\! \perp$					
l	2.65	1.90	V V V V V V				2.33	18			18	3.3	1					
3					n立 共 2日		3.15			4 /	9 /		$\vdash$					
				粘土質ローム	暗黄褐 ~ 暗黄灰		3.46	2	3	11	31	8.7	/					
4	4.20	1.55	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	粘土質ローム			4.15	<b>I</b> /	2 / 14	1 / 6	5 / 32		$\vdash \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \!$					
						3/20	4.47	12	14	6	32	4.7						
5				凝灰質粘土	暗灰	5.45	5.15	<b>I</b> /	1 / 11	1 / 11	3 /	•						
						<del>-</del>	5.48	11		11	33	2.7						
6	6.30	2.10					6.15	1 / 17	1 / 13		2 / 30	2	4					
							6.45			_								
7							7.15	3 / 12	3	3 / 9	9 / 31	8.7	<b>\</b>					
8				凝灰質粘土	暗青灰		7.46											
٥					黄灰		8.15	1	1 / 12	1 / 8	3 / 30	3	₹					
9								2			7							
	9.60	3.30					9.15	2 / 12	2	3	/ 32	6.6	þ					
0							10.15				13		<u> </u>					
				砂質粘土	青灰		10.45	3	4	6	/	13		<b>&gt;</b>				
1	10.80	1.20	====				11.15	2		2	6							
				砂混じりシルト	暗灰		11.46	12	2	9	31	5.8	<u> </u>					
1 2	12.25	1.45	<u> </u>				12.15				33							
	12.70	0.45	/	粘土混じり細砂	暗青灰		12.45	7	12	14	30	33				<b> </b>		
3				1			13.15			3 / 12	12 / 32			•				
							13.47	5	4	12	32	11.3		\				
4							14.15	5 / 11	5 / 11	5 / 9	15 / 31	14.5						
				砂質シルト	暗灰		14.46							`				
5							15.15	8	12	11	31 / 30	31				<b>&gt;</b> 0		
6				1			15.45				12							
							16.15	4	4	4	30	12		<				
7	16.90	4.20	====				17.15			9	50					<u></u>		
			·····/				17.13	17	24	3	23	65.2						
8			.; <i>;</i> /				18.15		24		50 /							
				シルト混じり細砂	暗青灰		18.33	26	8		18	83.3						
9							19.15			11 / 4	50 /							
	19.70	2.80	<b>/</b>				19.39	17	22	4	24	62.5						
0.0				ここ 川、ト 原石 油 か如 エハト	腔毒無		20.15				25 /							
	20.80	1.10		シルト質微細砂	暗青灰		20.45	9	8	8	30	25			-			
1			====			1	21.15		2	3	7		ļ					

	<ul><li>・シルト質微細砂</li></ul>	暗青灰	20.45	9	8	8	/ 30	25		00سمرا	4-061 	(力355)	(2
1 20.80 1.10	- - - - -	nty te-	21.45 21.45	2	2 / 12	3 / 8	7 / 30	7					
3 23.00 2.20	- 砂混じりシルト - - - - - <b>で</b>	暗灰	22.45 22.45 23.15	2	3 / 12	3 / 8	8 / 30 4	8	<i>\)</i>				
23.70 0.70	-     有機質シルト  -	暗黄灰	23.48	11	1	7 12	33	3.6	_				
	シルト質細砂	暗灰	24.45		25		50 /						
5	) ) ) ) ) ) ) )	暗灰	24.15 24.25 25.16 25.26	5 44	6 / 1		50 / 11	107					
	マ 	暗青灰	26.15 26.44	14	18	18 / 9		51.7				-	
27.65 1.70			27.15 27.40	15	22	13 / 5	50 / 25	60				-	
8 28.25 0.60	■粗砂	暗青灰	28.15			9 /	50 /						
28.55 0.30	砂質泥岩	暗青灰	28.41	27	14	6	<u>26</u> 50	57.7					
29.70 1.15	· 細砂 ·	暗青灰	29.15 29.28	36	3		13	115				-	
29.95 0.25	砂質泥岩	暗青灰		50			50 /						
30.24 0.29	.*#田砂	暗青灰	30.15 30.24	식 g l			9	167					