新宿区地盤資料

調査整理番号 037-011

所在地 東京都新宿区市谷砂土原町三丁目8-2付近

この資料は区内で建築されるための地盤の状況を確認するための参考資料です。 位置情報については、おおよその位置を示したものとなります。

!	深	層	柱	土	色	孔 標準貫入試験												
				質		内 水 位	深	1 と 回	0 cm の打!	ご撃数	打擊	N						
			状	_		· / 測		0	10	20	打擊回数				N値~	深度図		
				☒		定月日		ł	ł	ı	/ 貫					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
	度	厚	図	分	調	日	度	10	20	30	量	値	D 1	0 2	0 3	30	40 5	0
			//															
1				盛土														
			//				1.50	2.7			2.7							
2	2.00	2.00	$V_{\Lambda\Lambda\Lambda\Lambda}$				1.80	30			30	2.7						
							2.50				3.7							
3			00000	ローム	茶褐		2.80	30			30	3.7						
							3.50	3.7 / 30			3.7 / 30	3.7						
4	3.90	1.90				-	3.80					5.7						
			XXXXX	п-4	茶灰		4.50	2.9 / 30			2.9 / 30	2.9						
5	5.20	1.30	00000	I SEW! .			4.80											
-	5.60	0.40		シルト質粘土シルト質粘土	暗茶灰灰灰		5.50	2.5 / 30			2.5 / 30	2.5	👢					
6	6.15	0.55	0.0.0				6.50	12			12							
,			0.000				6.80	30			30	12		b				
7			6666	シルト混じり砂礫	茶灰		7.50	43			43							
8							7.80	30			30	43					<u> </u>	
	8.60	2.45					8.50	. /			34							
9							8.80	30			30	34						
				細砂	黄茶灰		9.50	/ /			16 /			_				
0	9.90	1.30				-	9.80	30			30	16						
							10.50	27 / 30			27 / 30	27			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			
1				中砂	茶灰		10.80											
				שיד	**/*		11.50	30			26 / 30	26			\			
2							11.80				28							
	12.75	2.85					12.80	30			30	28)			
3				細砂	茶灰		13.50				24							
4	14.10	1.35					13.80	30			30	24			<u> </u>			
33 44 55 5 66 6 77 88 8 9 9							14.50	/ /			57 /							
5				細砂	暗茶灰		14.80	30			30	57					+ Z	
	15.80	1.70					15.50	/			40 / 30	40						
6	10.00	1.70	<u> </u>			1	15.80				30	40						
			-::::::::::::::::::::::::::::::::::::				16.50	30			27 / 30	27			•			
7			<u>-</u> -				16.80				27							
				細砂	茶灰		17.50	30			/ 30	27			{			
8				m4 n/	75.7%		18.50				32 /				/			
ا							18.80	30		_	/ 30	32				8		
٥							19.50				37 /							-
20	20.00	4.20					19.80	30			30	37				<u> </u>		
				砂質シルト	暗青灰		20.50	/			15 /			_/				
,	20.80	0.80				-	20.80	30			30	15						

