

所在地 東京都新宿区原町三丁目 4 2 - 1 付近

標高	深度	層厚	柱状図	土質区分	色調	孔内水位 / 測定月日	10cmごとの打撃回数				N値	標準貫入試験 N値 - 深度図	
							深さ	10cmごとの打撃回数					打撃回数 / 貫入量
								0	10	20			
18.60	1.35			中砂	暗褐		18.15	20	30	50 / 20	75		
19.15							19.15	5	5	5 / 30	15		
19.45							19.45						
20.15				シルト混り細砂	暗灰		20.15	5	5	6 / 30	16		
20.45							20.45						
21.15							21.15			15			
18.35							18.35	20	30		75		
18.60							18.60						
17.25	7.15						17.25	15	30	50 / 21	71.4		
17.36							17.36						
17.15							17.15		5	1			
16.45							16.45	7	9	12 / 30	28		
16.15							16.15						
15.45							15.45	9	11	15 / 30	35		
15.15							15.15						
14.45							14.45	10	12	15 / 30	37		
14.15							14.15						
13.45							13.45	10	13	16 / 30	39		
13.15							13.15						
12.45							12.45	9	10	15 / 30	34		
12.15							12.15						
11.45							11.45	9	11	17 / 30	37		
11.15							11.15						
10.45							10.45						
10.15							10.15	5	6	10 / 30	21		
9.45							9.45	4	5	4 / 30	13		
9.15							9.15						
8.45							8.45	3	4	4 / 30	11		
8.15							8.15						
7.45							7.45						
7.15							7.15	2	3	3 / 30	8		
6.45							6.45						
6.15							6.15	2	2	2 / 30	6		
5.45							5.45						
5.15							5.15	2	2	1 / 6	5		
4.45							4.45						
4.15							4.15						
3.45							3.45	2	2	2 / 30	6		
3.15							3.15						
2.45							2.45						
2.15							2.15	1	1	2 / 8	4		
1.45							1.45						
1.15							1.15						
0.60							0.60						
0.60							0.60						

