

所在地 東京都新宿区早稲田鶴巻町539付近

標	深	層	柱	土	色	孔内水位 / 測定月日	標準貫入試験					N	N値 - 深度図		
							深	10 cmごとの打撃回数			打撃回数 / 貫入量				
								0	10	20					
尺	度	厚	状	質	調		度	10	20	30		値			
1	1.60	1.60		埋土	暗茶	1.60	1.15		1 / 20	1 / 30	2 / 50	0.8			
2	2.55	0.95		腐植物混じりシルト	黒茶		2.15	1 / 38			1 / 38	10			
3	2.90	0.35		砂礫	暗灰		2.53					10 / 30			
4				凝固シルト	暗灰	3.15					10 / 30	10			
5						3.45	3	3	4					10	
6	6.00	3.10				4.15							24 / 30	24	
7						4.45								24	
8			砂混じり固結シルト	暗灰	暗灰	5.15					25 / 30	25			
9						5.45	7	8	10					25	
10	7.40	1.40				6.15					30 / 30	30			
11				細砂	茶褐 ↓ 黄緑 ↓ 黄灰 ↓ 暗黄灰	6.45	10	11	9		30 / 30	30			
12						7.15							40 / 30	40	
13						7.45								40	
14						8.15							50 / 25	60	
15						8.40	17	20	5					60	
16						9.15							50 / 22	68.2	
17						9.37	14	26	2					68.2	
18						10.15							50 / 10	150	
19						10.25	50							150	
20						11.15							50 / 13	115	
21			11.28	36	14 / 3						115				
22			12.15							50 / 15	100				
23			12.30	33	17 / 5						100				
24			13.15							50 / 13	115				
25			13.28	35	15 / 3						115				
26			14.15							50 / 12	125				
27			14.27	37	13 / 2						125				
28			15.15							50 / 13	115				
29	15.28	7.88				15.28	36	14 / 3			115				