

所在地 東京都新宿区早稻田鶴巻町301-5付近

標高	深度	層厚	柱状図	土質区分	色調	孔内水位 / 測定月日	10 cmごとの打撃回数				N 値	標準貫入試験 N 値 - 深度図	
							深 度	この打撃数					
								0	10	20			
							0	10	20	30			
	1	1.60	盛土		暗褐	5/8 1.10	1.15	1 / 30			1 / 30	0	
	2	2.35	有機質粘土		黒灰		1.45					1	
	3	3.15	砂礫		暗青灰		2.15	1 / 12	1 / 8	2	4 / 30	4	
	4	3.95	粘土		淡青灰		2.45					15	
	5		固結シルト	青灰 暗青灰		3.15					15 / 30	22	
	6				3.45	4	5	6					22
	7				4.15						22 / 30		25
	8				4.45	5	8	9					28
	9		細砂	暗青灰 緑褐灰		5.15					25 / 30	46	
	10				5.45	6	8	11					43
	11				6.15						28 / 30		45
	12				6.45	6	10	12					100
	13				7.15						46 / 30		115
	14				7.45	12	15	19					150
	15				8.15						43 / 30		125
	16				8.45	14	12	17					150
	17				9.15						45 / 30		188
	18				9.45	11	14	20					
	19		10.15						50 / 15				
	20		10.30	37	5								
	21		11.15						50 / 13				
	22		11.28	41	9 / 3								
	23		12.15						50 / 10				
	24		12.25	50									
	25		13.15						50 / 12				
	26		13.27	47	3 / 2								
	27		14.15						50 / 10				
	28		14.25	50									
	29		15.15						50 / 8				
	30		15.23	50									