新宿区地盤資料

調査整理番号 105-027

所在地 東京都新宿区戸山一丁目8-5付近

この資料は区内で建築されるための地盤の状況を確認するための参考資料です。 位置情報については、おおよその位置を示したものとなります。

					T .	1	その位置を示したものとなります。									
票	深	層	柱	土	色	孔内	250	1	0 cm	標準貫入試験						
			416	質		水位	深	回		数	打擊回数	Ν				
			状	区		/ 測定月日		0	10 ≀	20 ≀	数/貫		N値~深度図			
₹	度	厚	図	分	調	月日	度		20		λ	値	0 10 20 30 40 50			
1			//				1.15				3 /					
							1.45	1	1	1	30	3	3 *			
2							2.15	1 / 18	1 / 14		2 / 32	1.9				
3				盛土	暗褐		2.47				1					
							3.15	30			, 30	1	14			
4							4.15	. /		1 /	3 /					
			//				4.45	12	1	8	30	3				
5	5.50	5.50					5.15	1 / 16	1 / 15		2 / 31	1.9	d			
4 5 6 7 8 9				ローム質粘土	暗茶褐		6.15	1 /	1 /		2 /					
	6.80	1.30	TAAAA	— — ——	四水四		6.45	16	14		30	2	2 🕇			
7							7.15	1 / 12	1	1 / 8	3 / 30					
Ω				凝灰質粘土	乳黄灰		7.45	12		-	15					
Ů.	8.40		.0.0.			8.90	8.15	4	5	6	/ 30	15				
9				粘土混り砂レキ	黄褐		9.15				25					
-	9.50	1.10	0,70.0				9.45	5	7	13	30	25				
10							10.15	2	3	3	8 / 30	8				
				細砂	暗黄褐		10.45				10					
	11.70	2.20					11.45	3	3	4	30	10				
11				微細砂	暗緑灰		12.15	14	16	20 / 7	50 / 27	55.6				
	13.00	1.30					12.42				15					
							13.45	4	5	6	30	15				
14							14.15	1			13					
				細砂	暗灰		14.45	3	4	6	30	13				
15				ыч кУ	H目/火		15.15	4	5	6	15 / 30	15				
16							15.45 16.15				15					
	16.80	3.80					16.45	4	5	6	30	15				
- 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21	10.00	2.00					17.4	<u>17.15</u>	2	2	3	7 / 30	7			
								17.45			3	30	'			
10				シルト	暗灰		18.15	2	3	3	8 / 30	8	8			
19							19.15				10					
-	19.50 19.70		 	細砂	暗灰		19.45	1	3	4	30 50 /	10				
20							20.00	5			5	300				
21							21.00 21.00		入不	能	50 / 0					

F 1	ı	1		1	1							ii.		ı	10	5-027((カ159)	(2/2)
21			0.000)))			21.00 21.00	TI,	入不	Ě	50 / 0							
22			0.00.00.00.00.00.00.00.00.00.00.00.00.0))) 砂レキ))	暗灰		22 15		9		50							
							22.15 22.27	41	2		12 50 /	12	125					
23							23.00 23.00	貫	入不	ii.	0	375						
24							24.00 24.04	50 / 4			50 / 4		5					
25			0.000				24.04				50							
25	25.25	5.55	0.0.0				25.00 25.10	เอบเ			10	150						