

所在地 東京都新宿区大久保二丁目4-3付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔内水位／測定月日	標準貫入試験					N 値
							深 度	10 cmごとの打撃回数			打撃回数／貫入量	
								0 〃	10 〃	20 〃		
1	1.60	1.60		盛土	黒褐	2/3 10.10 ≡	1.15	1/20	1/15	2/35	1.7	
2							1.50				3/33	2.7
3							2.15	1	1	1/13		2.5
4				ローム	茶褐		2.48					4
5							3.15	1/13	1/12	1/11	3/36	4
6							3.51					2.6
7	6.80	5.20					4.15	1/8	2/14	1/8	4/30	
8				凝灰質粘土	黄褐灰		4.45					
9	7.60	0.80					5.15	1/9	1/8	2/13	4/30	
10				粘土	暗青灰		5.45					
11	8.70	1.10					6.15	1/12	1/11	1/11	3/34	
12				砂混じり粘土	青灰		6.49					
13	9.50	0.80					7.00				0/50	
14				細砂	暗黄灰		7.50					
15	10.20	0.70					8.15				3/30	
16				砂礫	暗灰		8.45	1	1	1		
17	12.40	2.20					9.15				7/30	
18				細砂	暗黄灰 暗灰		9.45	2	2	3		
19							10.15				50/12	
20	17.40	2.50		砂混じりシルト	青灰		10.27	38	12/2			
21							11.05				50/13	
22						11.18						
23						12.05	30	20/5		50/15		
24						12.20						
25						13.15	6	7	9	22/30		
26						13.45						
27	14.90	2.50				14.15	13	13	15	41/30		
28						14.45						
29						15.15				14/30		
30						15.45	4	5	5			
31						16.15				15/30		
32						16.45	4	5	6			
33	17.40	2.50				17.15				33/30		
34						17.45	6	8	19			
35						18.10				50/16		
36						18.26	32	18/6				
37						19.15				50/15		
38						19.30	28	22/5				
39						20.10				50/9		
40						20.19	50/9					
41						21.00	24	26/8		50/18		

