## 新宿区地盤資料

調査整理番号 114-035

所在地 東京都新宿区大久保二丁目14-15付近

この資料は区内で建築されるための地盤の状況を確認するための参考資料です。 位置情報については、おおよその位置を示したものとなります。

ļ	深層柱 土 色 孔												標準貫入試験				
		-				内水	深	1 ح	0 cm の打	ご撃	打	Ν	THE RESERVENCE				
			状	質		位 /		回		数	打擊回数						
				X		測定		0	10 ≀	20	数/		N	~深度図			
	度	厚	図	分	調	測定月日	度		20		入	値	40				
t			//										10 20	30 40	50	)	
			//														
1			//	埋土	暗茶 茶褐		1.15	1	1 / 8	2 / 13	4 / 31	3.9	P				
2			//		暗茶		1.46		1	2	4						
			//				2.15	1	8	7 12	/	4	<b>†</b>				
3	2.80	2.80	K) () () ()				3.15		1	2	4						
			80000				3.48	1	9	14	33	3.6	<b>†</b>				
4			ĸĸĸĸĸ				4.15		1	2	4 /						
			X	п-4	茶褐		4.47	1	8	14	32	3.8	•				
5			00000				5.15	1 /	2 /	2 /	5 /						
			 				5.51	9	15	12	36	4.2					
ŝ			XXXXX				6.15	1	1 / 9	2 / 13	4 / 32	3.8	<b>,</b>				
	6.60	3.80				-	6.47		5	13		0.0					
7						7/31	7.15	0 / 5	1 / 16	1 / 14	2 / 35	1.7	(				
				凝灰質粘土	黄褐 ~ 黄茶	7.95	7.50					"					
					褐		8.15	1 / 13	1	2 / 11	4 / 34	3.5	Y				
9							9.15				13						
Г	9.30	0.40	.:::;/	粘土混り細砂	暗黄褐	-	9.45	3	5	5	/	13					
			0.000			1	10.15	25	25 / 7		50 /	88.2					
				 粘土混り砂礫 	暗黄褐		10.32	25	′		1/	00.2					
1	11.25	1.55					11.15			_	20						
ı	11.60	0.35	0.0.0	礫混り粘土	褐	-	-	11.45	10	5	5	30	20				
2	12.30	0.70	     	粘土混り砂礫	暗黄褐		12.15	12	8	3	23 / 30	23					
					黄褐		12.45		Í			`					
3 4				粘土	青灰		13.15	3	4	4	11 / 30	11					
4	13.80	1.50	· · · · · · ·				14.15				35						
				細砂	暗褐		14.15	9	11	15	30	35					
5					青灰		15.15				19						
f	15.35	1.55				-	15.45	8	6	5	30	19					
6			====	シルト	暗青灰		16.15				11						
F	16.50	1.15	====			-	16.45	3	4	4	30	11					
7							17.15	8	8	9	25 / 30	25					
7				硬質砂質シルト	暗灰 ~ 暗青灰		17.45		Ŭ			'`					
3							18.15	5	6	7	18 / 30	18					
ŀ	18.90	2.40	 				18.45	50			50						
				砂礫	暗青灰		19.15 19.22	7			7	214			$\rightarrow$		
,	20.15	1.25	0.0.0 0.0.0 0.0.0 0.0.0 0.0.0				20.15	50 / 5			50 / 5	300					
ľ	2.10		0.000				20.20	J			3	300					
1			0000		ort to		21.15	50			50 / 10	150					

	I	ı	IC		OI.	1 1	ı	20.20					ı	ı	ı	114-	035(ウ	8-300)	(2/2)
21			0.0	0.00								50							
			0		砂礫	暗褐		21.15 21.25	50			10	150	0					·
22	22.35		.20	0,00	)   課混り粗砂	暗青緑		22.15	20	22	8 / 3	50 / 23	65.2	2					
23	22.60	0.	.25 •	0.00	が研究を	暗褐		23.15			4	50							
	23.55	5 0.	.950	000				23.36	18	28	1	21	71.4	4					·
24	24.30 24.45	0.0.	.75 .15 ;;	X X X 7	-砂質粘土 - (土丹	暗灰		24.15	6	20	24	50 / 30	50						, =
								24.45											=