

所在地 東京都新宿区大久保二丁目13-10付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔 内 水 位 / 測 定 月 日	標準貫入試験				N 値	
							深 度	10 cm ごとの打撃数				打撃回数 / 貫入量
								0 ~ 10	10 ~ 20	20 ~ 30		
1		1.60	埋土	黒褐	4/24 6.50	1.15	1 / 17	1 / 13	2 / 30	2		
2		1.60	粘土質ローム	茶褐		1.45				3 / 30	3	
3						2.15	1	1	1	3 / 30	3	
4						2.45	1	1	1	3 / 30	3	
5						3.15				3 / 30	3	
6						3.45	1	1	1	3 / 30	3	
7		7.00 5.40	凝灰質粘土	灰白	4/24 6.50	5.15				3 / 30	3	
8						5.45	1	1	1	3 / 30	3	
9						6.15				3 / 30	3	
10						6.45	1	1	1	3 / 30	3	
11		9.50 2.50	砂礫	暗茶褐	4/24 6.50	7.15				3 / 30	3	
12						7.45	1	1	1	3 / 30	3	
13						8.15	1 / 15	1 / 15		2 / 30	2	
14						8.45				2 / 30	2	
15						9.15	1 / 15	1 / 15		2 / 30	2	
16		13.70 4.20	砂質粘土	暗灰	4/24 6.50	9.45				2 / 30	2	
17						10.15				43 / 30	43	
18						10.45	12	15	16	43 / 30	43	
19						11.15				45 / 30	45	
20						11.45	13	16	16	45 / 30	45	
21			細砂	黒	4/24 6.50	12.15				45 / 30	45	
22						12.45	13	16	16	45 / 30	45	
23						13.15				50 / 30	50	
24						13.45	16	16	18	50 / 30	50	
25						14.15				10 / 30	10	
26			砂質粘土	暗灰	4/24 6.50	14.45	2	4	4	10 / 30	10	
27						15.15				14 / 30	14	
28						15.45	4	5	5	14 / 30	14	
29						16.15				14 / 30	14	
30						16.45	4	5	5	14 / 30	14	
31			細砂	黒	4/24 6.50	17.15				17 / 30	17	
32						17.45	5	5	7	17 / 30	17	
33						18.15				17 / 30	17	
34						18.45	5	5	7	17 / 30	17	
35						19.15				16 / 30	16	
36		19.40 5.70	細砂	黒	4/24 6.50	19.45	4	5	7	16 / 30	16	
37						20.15				50 / 26	57.7	
38						20.41	15	18	6	50 / 11	136	
39		20.50 1.10	細砂	黒	4/24 6.50	21.00				50 / 11	136	
40						21.24				50 / 11	136	

