

所在地 東京都新宿区高田馬場二丁目10付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔 内 水 位 / 測 定 月 日	10 cm ごと の 打 撃 回 数				打 撃 回 数 / 貫 入 量	N 値	標準貫入試験		
							深 度	0	10	20			N 値 - 深度図		
							10	20	30						
0	0.70	0.70		埋土	黒褐	2.30									
1	1.50	0.80		埋土	暗茶褐		1.15	12	7	10	29 / 30	29			
2	3.20	1.70	○	砂礫	黄褐		1.45								
3	5.40	2.20	○	凝灰質シルト	暗黄灰		2.15	9	8	10	27 / 30	27			
4			○				2.45								
5			○				3.15	10	4	3	17 / 30	17			
6			○				3.45								
7	7.70	2.30	○	凝灰質シルト	暗黄灰		4.15	1	1 / 20		2 / 30	2			
8	8.90	1.20	○	細砂	褐灰		4.45								
9			○				5.15								
10			○				5.45	1	1	2	4 / 30	4			
11	11.00	2.10	○	凝灰質シルト	暗黄灰		6.15								
12			○				6.35	20	30		50 / 20	75			
13			○				7.15								
14			○				7.45	7	7	8	22 / 30	22			
15			○				8.15								
16			○				8.45	2	3	8	13 / 30	13			
17			○				9.15								
18			○				9.45	6	8	11	25 / 30	25			
19	19.80	8.80	○	凝灰質シルト	暗黄灰		10.15								
20			○				10.26	40	1		50 / 11	136			
21			○			11.15									
22			○			11.45	5	6	8	19 / 30	19				
23			○			12.15	6	8	10	24 / 30	24				
24			○			12.45									
25			○			13.15	6	7	8	21 / 30	21				
26			○			13.45									
27			○			14.15	6	8	11	25 / 30	25				
28			○			14.45									
29			○			15.15	6	8	11	25 / 30	25				
30			○			15.45									
31			○			16.15	6	8	10	24 / 30	24				
32			○			16.45									
33			○			17.15	5	6	6	17 / 30	17				
34			○			17.45									
35			○			18.15	5	6	7	18 / 30	18				
36			○			18.45									
37			○			19.15	5	6	7	18 / 30	18				
38															

