

所在地 東京都新宿区高田馬場二丁目14-27付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔 内 水 位 / 測 定 月 日	10 cm ごと の 打 撃 回 数				打 撃 回 数 / 貫 入 量	N 値	標準貫入試験	
							深 度	0	10	20			N 値 - 深度図	
							10	20	30					
1	1.20	1.20		埋土	暗褐色	2.30	1.15				11 / 30	11		
2				粘土質砂礫	暗茶褐色		2.15				32 / 30	32		
3							2.45	10	10	12	23 / 30	23		
4							3.15				25 / 30	25		
5	5.60	4.40					3.45	8	6	9	25 / 30	25		
6							4.15				25 / 30	25		
7				礫混じり中細砂	灰褐色	4.45	8	8	9	12 / 30	12			
8						4.15				15 / 30	15			
9						4.45	8	8	9	20 / 30	20			
10	8.50	2.90				5.15				50 / 25	60			
11						5.45	9	8	8	50 / 22	68.2			
12						6.15				50 / 22	68.2			
13				固結シルト混じり細砂	灰褐色	6.45	4	3	5	26 / 30	26			
14						7.15				25 / 30	25			
15						7.45	4	5	6	23 / 30	23			
16						8.15				24 / 30	24			
17	11.40	2.90				8.45	4	6	10	26 / 30	26			
18						9.15	10	23	5	28 / 30	28			
19				硬質粘土質シルト	暗青灰色	9.40				30 / 30	30			
20						10.15	17	25	2	25 / 30	25			
21						10.37				25 / 30	25			
22						11.15	13	25	2	25 / 30	25			
23						11.37				25 / 30	25			
24						12.15	6	9	11	25 / 30	25			
25				硬質粘土質シルト	暗青灰色	12.45				25 / 30	25			
26						13.15	6	8	11	25 / 30	25			
27						13.45				24 / 30	24			
28						14.15	6	8	9	26 / 30	26			
29						14.45				28 / 30	28			
30						15.15	6	8	10	30 / 30	30			
31				硬質粘土質シルト	暗青灰色	15.45	7	9	10	25 / 30	25			
32						16.15				25 / 30	25			
33						16.45				25 / 30	25			
34						17.15	8	10	10	25 / 30	25			
35						17.45	9	9	12	25 / 30	25			
36														

