

所在地 東京都新宿区高田馬場二丁目14-4付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔 内 水 位 / 測 定 月 日	10 cmごとの打撃数				打撃回数 / 貫入量	N 値	標準貫入試験		
							深 度	0	10	20			N 値 ~ 深度図		
							10	20	30						
1				受水槽		7/14 4.20 									
2	1.70	1.70		盛土	暗褐		2.15	1 / 15	1 / 16	2 / 31	1.9				
	2.30	0.60		砂礫	黄褐灰		2.46								
3	2.90	0.60					3.15				4 / 30	4			
4				礫混り粘土	茶褐灰		3.45	1	1	2					
							4.15				5 / 30	5			
5	4.70	1.80					4.45	1	2	2					
6				粘土混り細砂	褐灰		5.15				3 / 30	3			
							5.45	1	1	1					
7	6.80	2.10					7.15			6 / 1	50 / 21	71.4			
8				細砂	褐灰 暗灰		7.36	18	26						
							8.15		27 / 9		50 / 19	78.9			
9							8.34	23							
10	9.50	2.70		礫混り細砂	暗灰		9.15				33 / 30	33			
	10.00	0.50					9.45	10	10	13					
11				細砂	暗灰		10.15				37 / 30	37			
							10.45	10	12	15					
12	11.60	1.60					11.15	31	19 / 4		50 / 14	107			
							11.29								
13							12.15				24 / 30	24			
							12.45	6	7	11					
14						13.15				29 / 30	29				
						13.45	7	8	14						
15				硬質シルト	暗灰	14.15				34 / 30	34				
						14.45	9	10	15						
16						15.15				37 / 30	37				
						15.45	10	12	15						
17						16.15				32 / 30	32				
						16.45	8	10	14						
18						17.15				35 / 30	35				
						17.45	10	11	14						
19	18.70	7.10				18.15				27 / 30	27				
						18.45	7	10	10						
20						19.15				44 / 30	44				
						19.45	11	13	20						
21				砂混り固結シルト	暗灰	20.15				48 / 30	48				
						20.45	13	16	19						
						21.15				36					

