

所在地 東京都新宿区高田馬場二丁目12-6付近

標尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔内水位／測定月日	10 cmごとの打撃数				打撃回数／貫入量	N 値	標準貫入試験 N値～深度図	
							深 度	10 cmごとの打撃数						
								0 10 20 30	0 10 20 30	0 10 20 30				
0.80	0.80			埋土	茶褐	2/10 2.30 ≡	1.15				3 / 30	3		
1.45				礫混じり砂質粘土	茶褐 黄褐		2.15				6 / 30	6		
2.45								2	2	2	30	14		
3.15											14 / 30	14		
3.45								3	4	7	30	16		
4.15				細砂～微細砂	黄灰 暗黄灰		4.45				16 / 30	16		
5.15											29 / 30	29		
5.45								7	10	12	30	32		
6.15											32 / 30	32		
6.45								7	12	13	30	55.6		
7.15				シルト質細砂	暗褐灰		7.42				16 / 7	50 / 27	55.6	
8.15											19 / 30	19		
8.45				礫混じり砂	暗灰		9.15				14 / 6	50 / 26	57.7	
9.15											25 / 30	25		
9.41								17	19	6	29	26.9		
10.15				固結シルト	青灰	10.45				20 / 30	20			
11.15							15 / 9	5	6	29	28			
11.44										32 / 30	32			
12.15							5	6	9	30	22			
12.45										22 / 30	22			
13.15							8	9	11	30				
13.45										32 / 30	32			
14.15							9	10	13	30				
15.15								22 / 30	22					
15.45								30 / 30	30					