

所在地 東京都新宿区高田馬場三丁目46-9付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔内水位／測定月日	標準貫入試験					
							深 度	10 cmごとの打撃回数			打撃回数／貫入量	N 値
								0 10 20 30	0 10 20 30	0 10 20 30		
1	1.00	1.00		埋土	暗褐	2.70	1.15	1 / 30		1 / 30	1	
	1.70	0.70		ローム	暗褐		1.45					
2			砂礫	茶褐	2.15				15 / 30	15		
	2.80	1.10	礫混り粘土質細砂	黄褐	2.45		4	5	6	31		
3					3.15		8	10	13	30	31	
4					3.45					35	35	
	4.90	2.10			4.15		9	12	14	30	43	
5			固結粘土・細砂 互層		4.45					45		
					5.15		11	14	20	30	45	
6					5.45		8	12	23	30	43	
					6.15				50	71.4		
7					6.45	14	30	1	21	71.4		
					7.15				36	36		
8					7.36	9	12	15	30	36		
					8.15				50	65.2		
9					8.45	12	22	3	23	65.2		
					9.15				34	34		
10			9.38									
	10.45	5.55	10.15	9	11	14	30					
			10.45									