

所在地 東京都新宿区高田馬場三丁目8-32付近

標尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔内水位 / 測定月日	標準貫入試験					N 値
							深 度	10 cm ごと の打撃回数			打撃回数 / 貫入量	
								0	10	20		
							10	20	30			
1		1.75	埋土		茶褐	10/16 4.75 ≡	1.15	1 / 11	1	1	3 / 31	2.9
2		2.65	粘土質微細砂	黄褐灰	2.15		3	4	5	12 / 30	12	
3		2.90	シルト質細砂	暗灰	2.45							
4		3.70	細砂	褐灰	3.15		9	12	15	36 / 30	36	
5		4.70	シルト混り細砂	褐灰	3.45							
6			細砂	暗灰	4.15		7	8	12	27 / 30	27	
7					5.15		12	20	7	50 / 27	55.6	
8					5.42							
9					6.15		10	20	8	50 / 28	53.6	
10					6.43							
			微細砂	暗青灰	7.15	13	21	4	50 / 24	62.5		
					7.39							
					8.15	15	22	3	50 / 23	65.2		
					8.38							
					9.15	50			50 / 10	150		
			硬質粘土	褐灰	9.25							
					10.15	8	10	13	31 / 30	31		
						10.45						