

所在地 東京都新宿区高田馬場四丁目39-1付近

標	深	層	柱	土	色	孔内水位 / 測定月日	標準貫入試験						
							深	10 cmごとの打撃数			打撃回数 / 貫入量	N	
								0	10	20			
尺	度	厚	状	質	調		度	10	20	30	量	値	
	0.30	0.30	盛土		茶黒褐								
1			表土		黒褐		1.15	1 / 15	1 / 15		2 / 30		
2	1.70	1.40					1.45				6 / 30		
3			ローム		茶褐	3.40	2.15	2	2	2	30		
4							2.45				5 / 30		
5	4.80	3.10					3.15	1	2	2	30		
6			粘土		乳黄茶褐		3.45				3 / 30		
7							4.15	1	1	1	30		
8	5.50	0.70					4.45				1 / 30		
9			粘土混り砂礫		乳黄褐		5.15	1 / 30			42 / 30		
10							5.45				42 / 30		
11	7.60	2.10					6.15	11	14	17	30		
12			粘土混り細砂		暗黄褐		6.45				43 / 30		
13							7.15	10	15	18	30		
14	12.90	5.30					7.45				50 / 30		
15			中砂		暗褐		8.15	14	18	18	30		
							8.45				50 / 25		
							9.15			11 / 5	68.2		
							9.40	16	23	27	75		
							10.15	20	24	2	71.4		
							10.37				50 / 20		
							11.15	23	27		50 / 21		
							11.35				50 / 20		
							12.15	21	26	3 / 1	75		
							12.36				75		
							13.15	22	28		75		
							13.35				75		
							14.15	21	29		75		
							14.35				75		
							15.15	25	25		75		
	15.35	2.45					15.35				75		