

所在地 東京都新宿区西落合二丁目20-2付近

標 尺	深 度	層 厚	柱 状 図	土 質 区 分	色 調	孔 内 水 位 / 測 定 月 日	10 cm ごと の 打 撃 回 数				打 撃 回 数 / 貫 入 量	N 値	標準貫入試験			
							深 度	0	10	20			N 値 - 深度図			
							10	20	30							
1	1.00	1.00		盛土	暗茶褐	3.10 	1.15				3					
2	1.90	0.90		有機質ローム	黒褐 暗黄褐		1.50	1	1	15	35	2.6				
3	2.15		砂礫	黄褐灰	2.15		2	9	11	22	22					
4	2.45				2.45						26	26				
5	3.15				3.15						26	26				
6	3.45				3.45		10	7	9	30	22	22				
7	4.15		砂混りシルト	暗褐	4.15					22						
8	4.45				4.45		10	6	6	30	7	7				
9	5.15				5.15						12	12				
10	5.45				5.45		2	2	3	30	6	6				
11	6.15		シルト	青灰	6.15					12						
12	6.45				6.45		5	4	3	30	5	5				
13	7.15				7.15		2	2	2	30	20	20				
14	7.45				7.45						21	21				
15	8.15		細砂	黄褐灰	8.15					50						
16	8.45				8.45		1	2	2	30	150	150				
17	9.15				9.15	5	5	10	30	75	75					
18	9.45				9.45					214	214					
19	10.15		砂礫	黄褐灰	10.15	7	7	7	50							
20	10.45				10.45					100	100					
21	11.15				11.15	50				68.2	68.2					
22	11.25				11.25					75	75					
23	12.15		固結シルト	黄褐灰 暗灰 青灰	12.15	24	26		50							
24	12.35				12.35	50				100	100					
25	13.15				13.15	50				68.2	68.2					
26	13.22				13.22					75	75					
27	14.15				14.15	26	24	5	50							
28	14.30				14.30					100	100					
29	15.15				15.15	16	26	8	22	68.2	68.2					
30	15.37				15.37					75	75					
31	16.15				16.15				50							
32	16.35				16.35	20	30			75	75					