

所在地 東京都新宿区西落合二丁目18-12付近

標高	深度	層厚	柱状図	土質区分	色調	孔内水位 / 測定月日	標準貫入試験					N 値	N 値 - 深度図
							深さ	10 cm ごと の打撃回数			打撃回数 / 貫入量		
								0	10	20			
尺	度	厚	図				度	10	20	30		値	
1.00	0.90	0.90		盛土	暗灰	1/12 5.05	1.15	1 / 20	1 / 15	2 / 35	1.7		
1.95	1.05			表土	褐		1.50						
2.80	0.85			火山灰質粘土	黄茶褐 乳灰		2.15	1 / 20	1	2 / 30	2		
4.95	2.15			粘土混じり砂礫	黄茶灰		2.45						
5.70	0.75			粘土	暗青灰		3.15	5	5	7 / 30	17		
7.50	1.80			粘土混じり砂礫	黄茶灰		3.45						
10.60	3.10			粘土	茶褐 暗茶褐		4.15	6	7	8 / 30	21		
13.65	3.05			粘土混じり砂礫	淡茶灰		4.45						
17.90	4.25			固結粘土	淡黄灰 乳黄灰		5.15	3	4	4 / 30	11		
19.22	1.32			細砂	暗青灰		5.45						
							6.15	17	12	10 / 30	39		
							6.45						
						7.15	16	15	9 / 30	40			
						7.45							
						8.15	4	3	5 / 30	12			
						8.45							
						9.15	4	5	5 / 30	14			
						9.45							
						10.15	4	4	4 / 30	12			
						10.45							
						11.15	17	17	16 / 5	50 / 25	60		
						11.40							
						12.15	6	7	8 / 30	21			
						12.45							
						13.15	27	23		50 / 20	75		
						13.35							
						14.15	14	17	19 / 30	50 / 30	50		
						14.45							
						15.15	16	26	8 / 2	50 / 22	68.2		
						15.37							
						16.15	21	29 / 7		50 / 17	88.2		
						16.32							
						17.15	12	17	21 / 30	50 / 30	50		
						17.45							
						18.15	50			50 / 10	150		
						18.25							
						19.15	50 / 7			50 / 7	214		
						19.22							