新宿区地盤資料

調査整理番号 003-023

所在地 東京都新宿区四谷三丁目 4 - 8 付近

この資料は区内で建築されるための地盤の状況を確認するための参考資料です。 位置情報については、おおよその位置を示したものとなります。

位置情報については、おおよ ⁻									その位置を示したものとなります。 																									
Ē	深	層	柱	±	色	孔内		1 1	0.00	_			標準貫入試験																					
				質		水位	深	ا ح ا	10cmご との打撃 到数		N																							
			状	X		/ 測		0	10	20	打擊回数/貫		N値~深度図																					
1	度	厚	図	分	調	測 定 月 日	度	· 10	≀ 20	≀	λ	値	5																					
	IX.	子		//	미미	Н	IX.	10	20		-		0 10 20 30 40 50																					
			//																															
1			//	埋土	暗褐		1.15	1 / 30			1 / 30	1	1																					
2			//				2.15	1 /	1 /		2 /																							
	2.75	2.75	/			-	2.47	20	12		32	1.9	.9																					
4		3.70			茶褐	2/28 5.60	3.15	2	2	2	6 / 30	6	6																					
							3.45		1																									
			00000	ローヤ			4.15	2 / 15	8	1 / 7	4 / 30	4	4 (
5							5.15	. /	2 /		7																							
							5.45	12	8	3	30	7	7 1																					
6	6.45		00000				6.15	2	2	2	6 / 30	6	6																					
7							7.15	1 /			1																							
	10.60			凝灰質粘土 一般 できまる おおお できまる おおお できまる かまま できまる かまり 凝灰質シルト	乳茶褐乳褐		7.45	30			30	1	1																					
8							8.15	1 / 20	1		2 / 30	9																						
6 7 8 9							8.45 9.00				1																							
							9.30	20	1		30	1	1																					
						-	10.15			1 / 8	3 / 30																							
		4.15					. 10	10.45	12	2 1	8		3	3																				
11		0.90					11.15	3	3	3	9 / 30	g	g																					
12							11.45				44																							
							12.45	12	15	17	30	44	44																					
13							13.15		12	15	35 / 30	35	35																					
14							13.45																											
15	20.00				暗黄液、褐暗黄灰																		Í					14.15	10	12	14	36 / 30	36	36
							15.15				25 /																							
				細砂			15.45	7	9	9	30	25	25																					
16							16.15 16.45	9	11	12	32 / 30	32	32																					
17							17.15				40																							
							17.45	8	12	20	30	40	40																					
18							18.15	8	9	12	29 / 30	29	29																					
10							18.45	5	-	12		2.0																						
13			· · · · · · ·				19.15	8	11	12	31 / 30	31	31																					
20	20.00	8.50	777	シルト質微細砂	pe tr:		20.15				10		31																					
-	20.50	0.50			暗灰		20.45	3	3	4	30	10	10																					
21			.·· <i>:;></i>	シルト混り微細砂	暗緑灰		21.15			17	50 /		10																					

Е	ام در	J 0 50	<i></i> }././···	シルト質微細砂	暗灰	ĺ	ı	l ₃	3	4 	/ 30	10	1	K	0	03-023	(‡210)	(2/2)
21		1.10)	シルト混り微細砂	暗緑灰		20.45 21.15 21.44	15	18	17 / 9	50 / 29	51.7						
22		1.10) 砂礫)	暗灰		22.05 22.10	50 / 5			50 / 5	300						
24 25 26 26 27 27				シルト混り微細砂	暗青緑灰		23.15 23.27	30	20 / 2		50 / 12	125	5					
			// /			<u>2</u>	24.15 24.43	10	18	22 / 8	50 / 28	53.6	3					
							25.15 25.42	7	17	26 / 7	50 / 27	55.6	5					
							26.15 26.40		18	24 / 5	50 / 25 50	60)					
27	27.28	4.58	3 <i>;?</i>	,			27.15 27.28	30	3		13	115	5					