新宿区地盤資料

調査整理番号 007-014

所在地 東京都新宿区坂町23-2付近

この資料は区内で建築されるための地盤の状況を確認するための参考資料です。 位置情報については、おおよその位置を示したものとなります。

票	深	層	柱	±	色	孔						標準貫入試験						
				質		水位	深	ے	0 cm の打	撃	打擊回	Ν						
			状	×		/ 測		0	10	数 20	- 一 数 /		N値~深度図					
5	度	厚	図	分	調	定月日	度	≀ 10	≀ 20	≀ 30	貫入	値						
`					暗褐					-	_		0 10 20 30 40 50					
1	0.80	0.80	1	瓦礫混じりローム	na te		1.00	/			1 /	0.9	<u></u>					
	1.70	0.90			暗褐	0.400	1.32	32			32	0.8						
2	2.30	0.60		粘土	黒灰	8/28 2.70	2.40		自沈		0 / 40	١,						
3				粘土	黒褐	-	3.00	Ĭ	1 /		1 / 43	0.7						
4				m-I	AM (=)		3.43	15	1		1	0.7						
	4.30	2.00	77777 77777	腐植土	黒褐		4.39	5	34		39	0.8						
5	5.00			砂質粘土	青灰		5.00	1 / 14	1 / 13	1 / 6	3 / 33	2.7						
6	0.00	0.0					6.00				22							
				シルト質細砂	緑灰		6.30	6	7	9		22						
7	7.20	1.70		砂礫	暗灰		7.00	11	10	12	33 / 30	33						
8	7.60 8.10			シルト質細砂砂質シルト	緑灰		8.00		22	13 / 3	50 / 23	65.2						
	8.70	0.60		砂質シルト	黄灰	-	8.23				27							
9			r ./· · · ·	シルト質細砂	青灰		9.00	1	8	12	/	27						
10	9.70	1.00				-	10.00	1	13	14	37 / 30	37						
10				シルト混じり細砂	青緑灰		10.30	10	10	14		0,						
11	11.30	1.60	////:	シルト質細砂	緑灰		11.15	9	10	17	36 / 30	36	6					
12	11.70	0.4	1777	シルト質細砂	緑灰		12.00	9	11	18	38 / 30	38						
	12.60	0.90	(// ///			-	12.30		29		50 /							
10			///:::	シルト質細砂	暗録		13.19	I 21	23		50	78.9						
14	14.10	1.50) <i>j</i>				14.00 14.15	12/	/ 5		/ 15	100						
15				細砂	緑灰		15.00	41	9 / 1		50 / 11	136						
	15.70	1.60					15.11		18		50							
16	16.40	0.70		細砂	暗録		16.00 16.13	32	3		13	115						
17							17.00	39	11 / 2		50 / 12	125						
				細砂	暗録		17.12		18		50 /							
18	18.40	2.00					18.00 18.14	32	4		14	107						
19	19.10	0.70		礫混じり中砂	暗灰		19.00	17	14	19	50 / 30	50						
				礫混じり砂質粘土	暗灰		19.30 20.00			13	50							
13 14 15 16 17 18 20 21	20.60	1.50					20.22	14	23	2		68.2						
21							21.00		9 / 1		50 / 11	136						

Γ Ι Ι 16 9	=1 1	20.2	ol 1			_		1	1	007-	014(エ	151-2)	(2/2)
20.60 1.50	<u> </u>	-		9		50 / 11							=
E 21		21.0 21.1		1		11	136					-	
22	:	22.0	0 21	29		50 / 20	75						
	· 細砂 暗錄	22.2	0 21				73						
20.60 1.50		23.0	18	22	10 / 2	50 / 22	68.2						
		24.0		31		50 /							
24 24.10 3.50	細砂 暗灰	24.1	19	9		19	78.9						=
24.70 0.60	· -砂質粘土 暗灰	25.0 25.1	32	18 / 2		50 / 12	125						
25.50 0.80	•			9 /		50 /							
26		26.0 26.1		1		11	136					-	
27	· 細砂 暗灰 ·	27.0	41 37 I	13 / 3		50 / 13	115						=
27.60 2.10		27.1	3										
28		28.0 28.1	0 26	24 / 6		50 / 16	93.8					-	
	・粘土混じり細砂 暗灰	29.0		16		50 /							1
29 29.60 2.00		29.1	4 34 I	3		13	115						
30 30.12 0.52	: 細砂 暗灰	30.0	41 35 L	15 / 2		50 / 12	125						
		30.1	2										
													=