新宿区地盤資料

調査整理番号 012-005

所在地東京都新宿区左門町1-18付近

この資料は区内で建築されるための地盤の状況を確認するための参考資料です。 位置情報については、おおよその位置を示したものとなります。

	深	層	柱	土	色	孔							標準貫入試験			
			状	質		内 水 位 /	深	回	10cmごとの打撃 回数 01020数 1 20数 1 20数 1 20数 1 20 数			N				
				区				0	10 ≀	20 ≀	数/貫		N値~深度図			
	度	厚	図	分	調	測 定 月 日	度		20 30	lλ	値	0 10 20 30 40 50				
1				盛土	暗褐		1.15	1	1		2					
			//				1.47	1 / 20	1 / 12		32	1.9	9			
2	2.10	2.10	00000			1	2.15	1 /			3 /					
			XXXXX				2.50	15	11	_1_	35	2.6	6			
3				Π = Λ	茶褐		3.15	1 / 15	1	1 / 8	3 / 33	2.7	, •			
4			XXXXX XXXXX		3/14		3.48 4.15	1		1	3					
			XXXXX XXXXX				4.47	14	1	8	32	2.8	8 🛉 📗			
5	4.85	2.75	(000000	凝灰質粘土	□立,井 >□	1	5.15	/	1 / 11	1 / 5	3 /					
-	5.80	0.95		灰灰具帕上	暗黄褐	1	5.45	14	11	5	30	3				
6							6.15	0 / 20	1 / 22		1 / 42	0.7				
7						7.15	6.57 7.15				1	0.7				
					共 安 坦	$\overline{}$	7.13	0 / 15	1 / 17		; 32	0.9	•			
8				粘土	黄茶褐 ~ 乳黄灰		8.15	1	1 /		2					
							8.55	21	19		40	1.5	s †			
9							9.15	1 / 15	1	1 / 5	3 / 30	3				
	9.90	4.10					9.45									
0				凝灰質粘土	乳黄灰		10.15	2	2	2	6 / 30	6				
11	10.80		····;/	粘土混り細砂	暗褐灰		11.15				28					
İ	11.30	0.50				1	11.45	6	10	12	30	28				
12				細砂	暗黄褐			12.15		16	17	46 / 30	46			
133 133 134 144 14 14 14 14 14 14 14 14 14 14 14 1									12.45							
							13.15	6	8	12	26 / 30	26				
			<u>-</u>				14.15				17					
	14.70	3.40					14.45	5	6	6	30	17	7 1 1			
15			<u>-</u>	微細砂 暗褐灰			15.15	5	5	5	15 / 30	15				
							15.45			J		10				
σı					暗褐灰		16.15	5	6	14		25				
17							17.15			21						
	17.70	3.00					17.44	11	18	9	50 / 29	51.7				
18	18.15			細砂 シルト	暗褐灰暗褐灰	-	18.15	l	4	A	12 /	40				
<u> </u>	18.50	0.35				1	18.45	4	4	4	30	12				
19	19.50	1.00		細砂	黒灰		19.15	6	10	22	38 / 30	38				
20				礫混り細砂	暗緑灰		19.45 20.15				42					
-	20.25 20.50	0.75		砂混り固結シルト	暗灰	1	20.45	6	11	25	30	42	2			
21	21.20	0.70		細砂	暗緑灰		21.15		30		50 /					

_	20.25	0.7	5,	i	ı.				i		. /			012-	005(ウ	7-201)	(2/2)
E	20.50			砂混り固結シルト	暗灰		00.45	6	11	25	30	42				•	∃
21	21.20	0.70		· 細砂 •	暗緑灰		20.45		30		50 /						
22			0.000				21.34	20	9		19 50	78.9					
-			0.000	砂礫	暗灰		22.15 22.25	50			10	150				-	
23	22.80	1.60					23.15	23	27		50 / 20	75					
24))			・・・・ 組織で ・・・・・ ・・・・・・・・・・・・・・・・・・・・・・・・・	暗緑灰	2	23.35	20	10 2			,					=
E							24.15	13		27	50 / 30	50				•	
25		2 7/1					25.15	16	30	4 / 1	50 / 21	71.4					
26	20.00	0.7		有機質固結シルト	黒褐		25.36 26.15		20		50						
27	20.20	0.73		固結シルト質細砂	暗褐灰		26.31	30	6	10		93.8					
F	27.15	0.90					27.15 27.40	18	20	12 / 5	50 / 25	60				-	
28	28 35	1.20		:細砂	暗灰		28.15	23	27		50 / 20	75					
	20.00	1.2	1				28.35	20	۷.		20	10					