

所在地 東京都新宿区左門町7付近

標	深	層	柱 状 図	土 質 区 分	色 調	孔内水位／測定月日	標準貫入試験					N	N値～深度図		
							深	10cmごとの打撃数			打撃回数／貫入量				
								0	10	20					
尺	度	厚					度	10	20	30		値			
0.90	0.90			埋土	褐灰	5.60 ≒	1.15	4		4		0			
1							1.45	30		30		4			
2				ローム	茶褐灰		2.15	5		5		5			
2.60	1.70						2.45	30		30		5			
3				凝灰質粘土	茶褐灰		3.15	3		3		3			
4							3.45	30		30		3		3	
5							4.15	2		2		2		2	
5.60	3.00						4.45	30		30		2		2	
6							5.15	8		8		8		8	
7							5.45	30		30		8		8	
8				粘土	淡褐色		6.15	1		1		0.7			
9							6.60	45		45		0.7		0.7	
10							7.15	1		1		1		1	
11							7.45	30		30		1		1	
12							8.15	2		2		1.7		1.7	
13							8.50	35		35		1.7		1.7	
14				細砂	褐灰		9.15	2		2		2			
15							9.45	30		30		2		2	
16							10.15	4		4		4		4	
17							10.45	30		30		4		4	
18							11.15	7		7		7		7	
19						11.45	30		30		7		7		
20				中砂	暗青灰	12.15	30		30		30				
21						12.45	30		30		30		30		
22						13.15	28		28		28		28		
23						13.45	30		30		28		28		
24						14.15	30		30		30		30		
25						14.45	30		30		30		30		
26				細砂	褐灰	15.15	27		27		27				
27						15.45	30		30		27		27		
28						16.15	31		31		31		31		
29						16.45	30		30		31		31		
30						17.15	30		30		30		30		
31						17.45	30		30		30		30		
32				砂混り固結粘土	淡褐灰	18.15	28		28		28				
33						18.45	30		30		28		28		
34						19.15	35		35		35		35		

