新宿区地盤資料

調査整理番号 022-055

所在地 東京都新宿区新宿一丁目14-14付近

この資料は区内で建築されるための地盤の状況を確認するための参考資料です。 位置情報については、おおよその位置を示したものとなります。

位置情報については、おおよその											の位置を示したものとなります。									
標	深	層	柱	土	色	孔内							標準貫入試験							
				質		水位	深	1 と 回	0 cm の打	ご撃数	打擊回数	Ν								
			状	区		/		0	10		回数/		N.値~深度図							
						測 定 月 日		ł	ł	1	貫入									
尺	度	厚	図	分	調	日	度	10	20	30	量	値	0 10 20 30 40 50 60							
				埋土	暗褐															
1	1.10	1.10	00000			11/18	1.15	1 / 11	1 / 9	2 / 12	4 /	2.0								
E.						2.00	1.47	- 11	Э	12	32	3.8								
3				п -Д	茶褐		2.15	1	2 / 14	2	5 / 34	4.4								
E 3			XXXXX				2.49 3.15	1	2		5									
	3.70	2.60					3.51	12	14	2	/ 36	4.2								
E 4				及 - - - - - - - - - - - - -	暗灰褐		4.15	5 1	2 :		5 /									
							4.45			2	30	5								
4 5							5.15	1	2	2	5 / 30	5								
- 1	5.80	2.10				-	5.45] \							
6				凝灰質粘土	暗灰緑		6.45	1	2	3	6 / 30	6								
E 7	7.10	1.30					7.15				9									
							7.45	2	3	4	30	9								
E 8							8.15				11 /									
				凝灰質粘土	青灰		8.45	3	4	4	30	11								
9							9.15	3	4	4	11 / 30	11								
	9.90	2.80				-	9.45													
	10.40	0.50		砂質粘土	暗青緑	-	10.15	4	4	5	13 / 30	13	\							
9 110 111 112 112 112 112 112 112 112 112	11.20	0.80	ļ.::::::	細砂	暗青緑		11.15				16									
				lan-t	n÷ +-		11.45	5	5	6		16								
12	12.40	1.20		細砂	暗灰		12.15		_	7	18	40								
- 1		1.20					12.45	5	6	7		18								
13 							13.15	6	7	6	19 / 30	19								
= - 14							13.45 14.15				20 /									
				6mzih	nà to		14.45	6	7	7	30	20								
E 15				en to	暗灰		15.15				18									
							15.45	6	6	6	30	18								
16							16.15	5	6	6	17 / 30	17								
E 17	17.00	4.60					16.45													
Ē"							17.15 17.45	3	4	3	10 / 30	10								
E 18							18.15				9 /									
E				シルト	暗灰		18.45	3	3	3	30	g								
19			====				19.15				11 /									
	19.50	2.50		w++	mi =		19.45	3	4	4	30	11								
13 13 14 15 15 16 17 17 18 11 18 11 18 11 19 11 19 11 19 11 11 12 12 12 12 12 12 12 12 12 12 12	20.35	0.85		粘土	暗青緑		20.15	4	5	5	14 / 30	14								
E 21				7 ≖ 56° ± ►	· · · · · ·		20.45													
ا' ا		l		硬質粘土	暗青灰	I	21.15	4		l	18 /		E							

Е	Ion of	0.85		1						/ .				02	22-055	(⊥ 382)	(2/2)
F	20.30	0.00				20.45	4	5	5	30	14	1					=
21				硬質粘土	暗青灰	21.15				18			\setminus				
E				哎 員和工	唱月次		5	6	7	/ 30	18		6	_			3
22	21.80	1.45				21.45									_		3
22	22.20	0.40		砂質粘土	暗青緑	22.15				56					_		
F						22.45	11	19	26	30	56						
E 23				細砂	暗灰緑	23.15				62							
E	23.50	1.30					15	19		/ 30	62					-	3
23			0.0.0			23.45				60							
E 24						24.15	60			/ 10	180						
E			0000	砂礫	暗青灰	24.25											
25			0.0.0			25.15	60 / 7			60 / 7	257				-		
E	25.30	1.80				25.22					201						
E			:::::::	細砂	暗青灰			30		60							
E 26	26 40	1.10				26.15		7		/ 17	106					_	
E	20.10		0.0.0			26.32											
27						27.15				60							
E			0.000	砂礫	青緑	27.35	25	35	-	20	90						
Ē.,			0.00					20		60							3
26	28.30	1.90	0,000			28.15	40	5	_	/ 15	120					_	
F						28.30											
E																	